

ValueError

XMLWriter::startElement(): Argument #2 must be a valid element name,
"@attributes" given

/data/www/dev.forms.lozere.fr/application/helpers/export_helper.php(3153)

```
3141 * @param int $sParentKey parent key
3142 */
3143 function writeXmlFromArray(XMLWriter $xml, $aData, $sParentKey = '') {
3144 {
3145     $bCloseElement = false;
3146     foreach ($aData as $key => $value) {
3147         if (!empty($value)) {
3148             if (is_array($value)) {
3149                 if (is_numeric($key)) {
3150                     $xml->startElement($sParentKey);
3151                     $bCloseElement = true;
3152                 } elseif (isAssociativeArray($value)) {
3153                     $xml->startElement($key);
3154                     $bCloseElement = true;
3155                 }
3156
3157                 if (is_numeric($key)) {
3158                     writeXmlFromArray($xml, $value, $sParentKey);
3159                 } else {
3160                     writeXmlFromArray($xml, $value, $key);
3161                 }
3162
3163                 if ($bCloseElement === true) {
3164                     $xml->endElement();
3165                     $bCloseElement = false;
```

Stack Trace

#0 □ /data/www/dev.forms.lozere.fr/application/helpers/export_helper.php(3153): **XMLWriter->startEle**

```
3148         if (is_array($value)) {
3149             if (is_numeric($key)) {
3150                 $xml->startElement($sParentKey);
3151                 $bCloseElement = true;
3152             } elseif (isAssociativeArray($value)) {
3153                 $xml->startElement($key);
3154                 $bCloseElement = true;
3155             }
3156
3157             if (is_numeric($key)) {
3158                 writeXmlFromArray($xml, $value, $sParentKey);
```

#1 □ /data/www/dev.forms.lozere.fr/application/helpers/export_helper.php(3160): **writeXmlFromArray**

```
3155         }
3156
3157         if (is_numeric($key)) {
3158             writeXmlFromArray($xml, $value, $sParentKey);
3159         } else {
3160             writeXmlFromArray($xml, $value, $key);
3161         }
3162
3163         if ($bCloseElement === true) {
3164             $xml->endElement();
3165             $bCloseElement = false;
```

#2 □ /data/www/dev.forms.lozere.fr/application/helpers/export_helper.php(3160): **writeXmlFromArray**

```
3155     }
3156
3157     if (is_numeric($key)) {
3158         writeXmlFromArray($xml, $value, $sParentKey);
3159     } else {
3160         writeXmlFromArray($xml, $value, $key);
3161     }
3162
3163     if ($bCloseElement === true) {
3164         $xml->endElement();
3165         $bCloseElement = false;
```

#3 □ /data/www/dev.forms.lozere.fr/application/helpers/export_helper.php(3160): **writeXmlFromArray**

```
3155     }
3156
3157     if (is_numeric($key)) {
3158         writeXmlFromArray($xml, $value, $sParentKey);
3159     } else {
3160         writeXmlFromArray($xml, $value, $key);
```

```
3161     }
3162
3163     if ($bCloseElement === true) {
3164         $xml->endElement();
3165         $bCloseElement = false;
```

#4 /data/www/dev.forms.lozere.fr/application/helpers/export_helper.php(3158): **writeXmlFromArray**

```
3153             $xml->startElement($key);
3154             $bCloseElement = true;
3155         }
3156
3157         if (is_numeric($key)) {
3158             writeXmlFromArray($xml, $value, $sParentKey);
3159         } else {
3160             writeXmlFromArray($xml, $value, $key);
3161         }
3162
3163         if ($bCloseElement === true) {
```

#5 /data/www/dev.forms.lozere.fr/application/helpers/export_helper.php(3160): **writeXmlFromArray**

```
3155     }
3156
3157     if (is_numeric($key)) {
3158         writeXmlFromArray($xml, $value, $sParentKey);
3159     } else {
3160         writeXmlFromArray($xml, $value, $key);
3161     }
3162
3163     if ($bCloseElement === true) {
3164         $xml->endElement();
3165         $bCloseElement = false;
```

#6 /data/www/dev.forms.lozere.fr/application/helpers/export_helper.php(3160): **writeXmlFromArray**

#7 /data/www/dev.forms.lozere.fr/application/helpers/export_helper.php(3206): **writeXmlFromArray**

```
3201     }
3202     }
3203 }
3204
3205 if ($oXml !== null && !empty($aThemeData)) {
3206     writeXmlFromArray($oXml, $aThemeData);
3207 }
3208 }
3209
3210
3211 function MaskFormula($sValue)
```

#8 □ /data/www/dev.forms.lozere.fr/application/helpers/export_helper.php(1046): **surveyGetThemeCor**

```
1041     $xml->endElement();
1042     surveyGetXMLStructure($iSurveyID, $xml, $exclude);
1043     // survey theme configuration - db values
1044     surveyGetThemeConfiguration($iSurveyID, $xml, false, 'themes');
1045     // survey theme configuration - inherited values
1046     surveyGetThemeConfiguration($iSurveyID, $xml, true, 'themes_inherited');
1047     $xml->endElement(); // close columns
1048     $xml->endDocument();
1049     return $xml->outputMemory(true);
1050 }
1051
```

#9 □ /data/www/dev.forms.lozere.fr/application/controllers/SurveyAdministrationController.php(2367): **su**

```
2362     ) {
2363         $aData[ 'sErrorMessage' ] = gT("We are sorry but you c
2364         $aData[ 'bFailed' ] = true;
2365     } else {
2366         Yii::app()->loadHelper('export');
2367         $copsurveydata = surveyGetXMLData($iSurveyID, $aExc
2368         if (empty(Yii::app()->request->getPost('copsurveyna
2369             $sourceSurvey = Survey::model()->findPk($iSurv
2370             $sNewSurveyName = $sourceSurvey->currentLanguage
2371         } else {
2372             $sNewSurveyName = Yii::app()->request->getPost('
```

#10 □ /data/www/dev.forms.lozere.fr/vendor/yiisoft/yii/framework/web/actions/CInlineAction.php(49): **Su**

```
44     $controller=$this->getController();
45     $method=new ReflectionMethod($controller, $methodName);
46     if($method->getNumberOfParameters()>0)
47         return $this->runWithParamsInternal($controller, $method, $par
48
49     $controller->$methodName();
50     return true;
51 }
52 }
```

#11 □ /data/www/dev.forms.lozere.fr/vendor/yiisoft/yii/framework/web/CController.php(308): **CInlineAct**

```
303     {
304         $priorAction=$this->_action;
305         $this->_action=$action;
306         if($this->beforeAction($action))
307         {
308             if($action->runWithParams($this->getActionParams())==false)
309                 $this->invalidActionParams($action);
310             else
```

```
311         $this->afterAction($action);  
312     }  
313     $this->_action=$priorAction;
```

#12 □ /data/www/dev.forms.lozere.fr/vendor/yiisoft/yii/framework/web/filters/CFilterChain.php(134): **CCo**

```
129         $filter=$this->itemAt($this->filterIndex++);  
130         Yii::trace('Running filter '.($filter instanceof CInlineFilter ?  
131             $filter->filter($this);  
132         }  
133         else  
134             $this->controller->runAction($this->action);  
135     }  
136 }
```

#13 □ /data/www/dev.forms.lozere.fr/vendor/yiisoft/yii/framework/web/CController.php(1119): **CFilterCh**

```
1114     * @throws CHttpException if the current request is not a POST reque  
1115     */  
1116     public function filterPostOnly($filterChain)  
1117     {  
1118         if(Yii::app()->getRequest()->getIsPostRequest())  
1119             $filterChain->run();  
1120         else  
1121             throw new CHttpException(400,Yii::t('yii','Your request is i  
1122     }  
1123  
1124     /**
```

#14 □ /data/www/dev.forms.lozere.fr/vendor/yiisoft/yii/framework/web/filters/CInlineFilter.php(58): **CCo**

```
53     * @param CFilterChain $filterChain the filter chain that the filter is  
54     */  
55     public function filter($filterChain)  
56     {  
57         $method='filter'.'$this->name;  
58         $filterChain->controller->$method($filterChain);  
59     }  
60 }
```

#15 □ /data/www/dev.forms.lozere.fr/vendor/yiisoft/yii/framework/web/filters/CFilterChain.php(131): **CIn**

```
126     {  
127         if($this->offsetExists($this->filterIndex))  
128         {  
129             $filter=$this->itemAt($this->filterIndex++);  
130             Yii::trace('Running filter '.($filter instanceof CInlineFilter ?  
131                 $filter->filter($this);  
132             }  
133             else
```

```
134         $this->controller->runAction($this->action);
135     }
136 }
```

#16 □ /data/www/dev.forms.lozere.fr/vendor/yiisoft/yii/framework/web/CController.php(291): **CFilterChain->run()**

```
286         $this->runAction($action);
287     else
288     {
289         $priorAction=$this->_action;
290         $this->_action=$action;
291         CFilterChain::create($this,$action,$filters)->run();
292         $this->_action=$priorAction;
293     }
294 }
295 /**
296 */


```

#17 □ /data/www/dev.forms.lozere.fr/vendor/yiisoft/yii/framework/web/CController.php(265): **CController->runActionWithFilters()**

```
260     {
261         if(($parent=$this->getModule())==null)
262             $parent=Yii::app();
263         if($parent->beforeControllerAction($this,$action))
264         {
265             $this->runActionWithFilters($action,$this->filters());
266             $parent->afterControllerAction($this,$action);
267         }
268     }
269     else
270         $this->missingAction($actionID);
```

#18 □ /data/www/dev.forms.lozere.fr/application/controllers/LSBaseController.php(145): **LSBaseController->runActionWithFilters()**

```
140         $this->redirect(array('admin/authentication.sa/login'));
141     }
142 }
143 }
144 parent::run($action);
145 }
146 /**
147 * Load and set session vars
148 */
149 /**
150 * Load and set session vars
151 */


```

#19 □ /data/www/dev.forms.lozere.fr/vendor/yiisoft/yii/framework/web/CWebApplication.php(282): **LSBaseController->runActionWithFilters()**

```
277     {
278         list($controller,$actionID)=$ca;
```

```
279         $oldController=$this->_controller;
280         $this->_controller=$controller;
281         $controller->init();
282         $controller->run($actionID);
283         $this->_controller=$oldController;
284     }
285     else
286         throw new CHttpException(404,Yii::t('yii','Unable to resolve
287             array('{route}')=>$route==='?'&$this->defaultController:$rc
```

#20 □ /data/www/dev.forms.lozere.fr/vendor/yiisoft/yii/framework/web/CWebApplication.php(141): **CWeb**

```
136         foreach(array_splice($this->catchAllRequest,1) as $name=>$val
137             $_GET[$name]=$value;
138     }
139     else
140         $route=$this->getUrlManager()->parseUrl($this->getRequest());
141     $this->runController($route);
142 }
143 /**
144 * Registers the core application components.
145 * This method overrides the parent implementation by registering add
```

#21 □ /data/www/dev.forms.lozere.fr/vendor/yiisoft/yii/framework/base/CApplication.php(185): **CWebApI**

```
180     public function run()
181     {
182         if($this->hasEventHandler('onBeginRequest'))
183             $this->onBeginRequest(new CEvent($this));
184         register_shutdown_function(array($this,'end'),0,false);
185         $this->processRequest();
186         if($this->hasEventHandler('onEndRequest'))
187             $this->onEndRequest(new CEvent($this));
188     }
189 /**
190 */


```

#22 □ /data/www/dev.forms.lozere.fr/index.php(161): **CApplication->run()**

```
156 require_once APPPATH . 'core/LSYii_Application' . EXT;
157
158 $config = require_once(APPPATH . 'config/internal' . EXT);
159
160 Yii::$enableIncludePath = false;
161 Yii::createApplication('LSYii_Application', $config)->run();
162
163 /* End of file index.php */
164 /* Location: ./index.php */
```

2024-05-03 09:11:13 Apache [Yii Framework/1.1.29](#)