

## PHP notice

Undefined index: count(tid)

**/opt/qrm/software/limesurvey/web/lime2/application/models/Tokens\_dynamic.php(85)**

```

73     * Returns a summary of this table
74     *
75     * @access public
76     * @return array
77     */
78     public function summary()
79     {
80         $sid = self::$sid;
81
82         $tksq = "SELECT count(tid) FROM {{tokens_$sid}}";
83         $tksr = Yii::app()->db->createCommand($tksq)->query();
84         $tkr = $tksr->read();
85         $tkcount = $tkr["count(tid)"];
86         $data['tkcount']=$tkcount;
87
88         $tksq = "SELECT count(*) FROM {{tokens_$sid}} WHERE token IS NULL OR token=''";
89         $tksr = Yii::app()->db->createCommand($tksq)->query();
90         $tkr = $tksr->read();
91         $data['query1'] = $tkr["count(*)"]." / $tkcount";
92         $data['tkinvalid']= $tkr["count(*)"];
93
94         $tksq = "SELECT count(*) FROM {{tokens_$sid}} WHERE (sent!='N' and sent<>'')";
95         $tksr = Yii::app()->db->createCommand($tksq)->query();
96         $tkr = $tksr->read();
97         $data['query2'] = $tkr["count(*)"]." / $tkcount";

```

## Stack Trace

```

#0 [ ] /opt/qrm/software/limesurvey/web/lime2/application/controllers/admin/tokens.php(64): Tokens_dynamic->summary()
    59     }
    60     else
    61     {
    62         $aData['thissurvey'] = $thissurvey;
    63         $aData['surveyid'] = $iSurveyId;
    64         $aData['queries'] = Tokens_dynamic::model($iSurveyId)->summary();
    65
    66         $this->renderWrappedTemplate('token', array('tokenbar', 'tokensummary'), $aData);
    67     }
    68 }
    69 }

#1 unknown(0): tokens->index("798778")

#2 [ ] /opt/qrm/software/limesurvey/web/lime2/framework/web/actions/CAction.php(107): ReflectionMethod->invokeArgs(tokens, array("798778"))

#3 [ ] /opt/qrm/software/limesurvey/web/lime2/application/core/Survey_Common_Action.php(82): CAction->runWithParamsInternal(tokens, ReflectionMethod
array("surveyid" => "798778", "sa" => "index", "iSurveyId" => "798778", "iSurveyID" => "798778"))
    77         $oMethod = new ReflectionMethod($this, $sDefault);
    78     }
    79
    80     // We're all good to go, let's execute it
    81     // runWithParamsInternal would automatically get the parameters of the method and populate them as required wi
    82     return parent::runWithParamsInternal($this, $oMethod, $params);
    83 }
    84
    85 /**
    86 * Some functions have different parameters, which are just an alias of the
    87 * usual parameters we're getting in the url. This function just populates

#4 [ ] /opt/qrm/software/limesurvey/web/lime2/framework/web/CController.php(309): Survey_Common_Action->runWithParams(array("surveyid" => "7987
"index"))

#5 [ ] /opt/qrm/software/limesurvey/web/lime2/framework/web/CController.php(287): CController->runAction(tokens)

#6 [ ] /opt/qrm/software/limesurvey/web/lime2/framework/web/CController.php(266): CController->runActionWithFilters(tokens, array())

#7 [ ] /opt/qrm/software/limesurvey/web/lime2/application/controllers/AdminController.php(158): CController->run("tokens")
    153         Yii::app()->session['redirectpage'] = Yii::app()->request->requestUri;
    154         $this->redirect($this->createUrl('/admin/authentication/login'));
    155     }
    156 }
    157
    158     return parent::run($action);
    159 }
    160 }

```

```
161     /**
162     * Routes all the actions to their respective places
163     *
```

- 
- #8  /opt/qrm/software/limesurvey/web/lime2/framework/web/CWebApplication.php(276): **AdminController->run**("tokens")
  - #9  /opt/qrm/software/limesurvey/web/lime2/framework/web/CWebApplication.php(135): **CWebApplication->runController**("admin/tokens/sa/index")
  - #10  /opt/qrm/software/limesurvey/web/lime2/framework/base/CApplication.php(162): **CWebApplication->processRequest**()
  - #11  /opt/qrm/software/limesurvey/web/lime2/index.php(171): **CApplication->run**()
- 

2012-05-27 05:39:03 Apache/2.2.17 (Ubuntu) [Yii Framework](#)/1.1.10