

## PHP warning

Invalid argument supplied for foreach()

/home/hgctoo5/public\_html/truewing.com/app/s/vendor/yiisoft/yii/framework/db/ar/CActiveFinder.php(833)

```
821 |     {
822 |         // determine the primary key value
823 |         if(is_string($this->_pkAlias)) // single key
824 |         {
825 |             if(isset($row[$this->_pkAlias]))
826 |                 $pk=$row[$this->_pkAlias];
827 |             else // no matching related objects
828 |                 return null;
829 |         }
830 |         else // is_array, composite key
831 |         {
832 |             $pk=array();
833 |             foreach($this->_pkAlias as $name=>$alias)
834 |             {
835 |                 if(isset($row[$alias]))
836 |                     $pk[$name]=$row[$alias];
837 |                 else // no matching related objects
838 |                     return null;
839 |             }
840 |             $pk=serialize($pk);
841 |         }
842 |
843 |         // retrieve or populate the record according to the primary key value
844 |         if(isset($this->records[$pk]))
845 |             $record=$this->records[$pk];
```

## Stack Trace

#0 [\[icon\]](#) /home/hgctoo5/public\_html/truewing.com/app/s/vendor/yiisoft/yii/framework/db/ar/CActiveFinder.php(811): **CJoinElement->populateRecord**(CJoinQuery, array("t0\_c  
"t1\_c2" => "bootswatch", "t1\_c1" => "bootswatch"))

```
806 |     */
807 |     public function runQuery($query)
808 |     {
809 |         $command=$query->createCommand($this->_builder);
810 |         foreach($command->queryAll() as $row)
811 |             $this->populateRecord($query,$row);
812 |     }
813 |
814 |     /**
815 |      * Populates the active records with the query data.
816 |      * @param CJoinQuery $query the query executed
```

#1 [\[icon\]](#) /home/hgctoo5/public\_html/truewing.com/app/s/vendor/yiisoft/yii/framework/db/ar/CActiveFinder.php(441): **CJoinElement->runQuery**(CJoinQuery)

```
436 |         {
437 |             $query=new CJoinQuery($this,$criteria);
438 |             $this->_finder->baseLimited=($criteria->offset>=0 || $criteria->limit>=0);
439 |             $this->buildQuery($query);
440 |             $this->_finder->baseLimited=false;
441 |             $this->runQuery($query);
442 |         }
443 |         elseif(!$this->_joined && !empty($this->_parent->records)) // not joined before
444 |         {
445 |             $query=new CJoinQuery($this->_parent);
446 |             $this->_joined=true;
```

#2 [\[icon\]](#) /home/hgctoo5/public\_html/truewing.com/app/s/vendor/yiisoft/yii/framework/db/ar/CActiveFinder.php(68): **CJoinElement->find**(CDbCriteria)

```
63 |         {
64 |             $this->_joinTree->tableAlias=$criteria->alias;
65 |             $this->_joinTree->rawTableAlias=$this->_builder->getSchema()->quoteTableName($criteria->alias);
66 |         }
67 |
68 |         $this->_joinTree->find($criteria);
69 |         $this->_joinTree->afterFind();
70 |
71 |         if($all)
72 |         {
73 |             $result = array_values($this->_joinTree->records);
```

#3 `/home/hgctoo5/public_html/truewiring.com/app/s/vendor/yiisoft/yii/framework/db/ar/CActiveRecord.php(1364): CActiveFinder->query(CDbCriteria, true)`

```
1359         return $all ? $this->populateRecords($command->queryAll(), true, $criteria->index) : $this->populateR
1360     }
1361     else
1362     {
1363         $finder=$this->getActiveFinder($criteria->with);
1364         return $finder->query($criteria,$all);
1365     }
1366 }
1367
1368 /**
1369  * Applies the query scopes to the given criteria.
```

#4 `/home/hgctoo5/public_html/truewiring.com/app/s/vendor/yiisoft/yii/framework/db/ar/CActiveRecord.php(1478): CActiveRecord->query(CDbCriteria, true)`

```
1473     */
1474     public function findAll($condition='', $params=array())
1475     {
1476         Yii::trace(get_class($this).'.findAll()', 'system.db.ar.CActiveRecord');
1477         $criteria=$this->getCommandBuilder()->createCriteria($condition, $params);
1478         return $this->query($criteria, true);
1479     }
1480
1481     /**
1482     * Finds a single active record with the specified primary key.
1483     * See {@link find()} for detailed explanation about $condition and $params.
```

#5 `/home/hgctoo5/public_html/truewiring.com/app/s/application/models/Template.php(497): CActiveRecord->findAll(CDbCriteria)`

```
492     $criteria = new CDbCriteria();
493     $criteria->select = 'template_name';
494     $criteria->condition = 'sid IS NULL AND gsid IS NULL AND template.folder IS NOT NULL';
495     $oTemplateList = TemplateConfiguration::model()->with(array(
496         'template' => ['select' => 'id, folder'],
497     ))->findAll($criteria);
498     $aTemplateInStandard = SurveyThemeHelper::getTemplateInStandard();
499     $aTemplateInUpload = SurveyThemeHelper::getTemplateInUpload();
500     foreach ($oTemplateList as $oTemplate) {
501         if (isset($aTemplateInStandard[$oTemplate->template->folder])) {
502             $aTemplateList[$oTemplate->template_name] = $aTemplateInStandard[$oTemplate->template->folder];
```

#6 `/home/hgctoo5/public_html/truewiring.com/app/s/application/views/admin/globalsettings/_general.php(13): Template::getTemplateList()`

```
08 use LimeSurvey\Libraries\FormExtension\Inputs\GlobalSettingsRenderer;
09
10 ?>
11 <?php
12 $thisdefaulttheme = getGlobalSetting('defaulttheme');
13 $templatenames = array_keys(Template::getTemplateList());
14 $thisadmintheme = getGlobalSetting('admintheme');
15 $thisdefaulthtmleditormode = getGlobalSetting('defaulthtmleditormode');
16 $thismaintenancemode = !empty(getGlobalSetting('maintenancemode')) ? getGlobalSetting('maintenancemode')
17 $thisdefaultquestionselectormode = getGlobalSetting('defaultquestionselectormode');
18 $thisdefaultthemeteeditormode = getGlobalSetting('defaultthemeteeditormode');
```

#7 `/home/hgctoo5/public_html/truewiring.com/app/s/vendor/yiisoft/yii/framework/web/CBaseController.php(126): require("/home/hgctoo5/public_html/truewiring.com/app/`

```
121     $data=$_data_;
122     if($_return_)
123     {
124         ob_start();
125         ob_implicit_flush(false);
126         require($_viewFile_);
127         return ob_get_clean();
128     }
129     else
130         require($_viewFile_);
131 }
```

#8 `/home/hgctoo5/public_html/truewiring.com/app/s/vendor/yiisoft/yii/framework/web/CBaseController.php(95): CBaseController->renderInternal("/home/hgctoo5/public_html/truewiring.com/app/s/application/views...", array("aListOfThemeObjects" => array("Sea_Green" => stdClass), "aEncodings" : "swe7" => "7bit Swedish", "armscii8" => "ARMSCII-8 Armenian", "big5" => "Big5 Traditional Chinese", ...), "thischarset" => "auto", "sideMenuBehaviour" => "adaptive"`

```
090     {
091         $widgetCount=count($this->_widgetStack);
092         if(($renderer=Yii::app()->getViewRenderer())!=null && $renderer->fileExtension==='.'.CFileHelper::getExte
093             $content=$renderer->renderFile($this,$viewFile,$data,$return);
```

```

094 |     else
095 |         $content=$this->renderInternal($viewFile,$data,$return);
096 |     if(count($this->_widgetStack)===$widgetCount)
097 |         return $content;
098 |     else
099 |     {
100 |         $widget=end($this->_widgetStack);

```

#9 `/home/hgctoo5/public_html/truewiring.com/app/s/vendor/yiisoft/yii/framework/web/CController.php(872): CBaseController->renderFile("/home/hgctoo5/public_html/truewiring.com/app/s/application/views...", array("aListOfThemeObjects" => array("Sea_Green" => stdClass, "aEncodings" => array("7bit Swedish", "armscii8" => "ARMSCII-8 Armenian", "big5" => "Big5 Traditional Chinese", ...), "thischarset" => "auto", "sideMenuBehaviour" => "adaptive"), true)`

```

867 |     */
868 |     public function renderPartial($view,$data=null,$return=false,$processOutput=false)
869 |     {
870 |         if(($viewFile=$this->getViewFile($view))!==false)
871 |         {
872 |             $output=$this->renderFile($viewFile,$data,true);
873 |             if($processOutput)
874 |                 $output=$this->processOutput($output);
875 |             if($return)
876 |                 return $output;
877 |             else

```

#10 `/home/hgctoo5/public_html/truewiring.com/app/s/application/controllers/AdminController.php(261): CController->renderPartial("./globalsettings/_general", array("aListOfThemeObjects" => array("Sea_Green" => stdClass, "aEncodings" => array("auto" => "(Automatic)", "swe7" => "7bit Swedish", "armscii8" => "ARMSCII-8 Armenian", "big5" => "Big5 Traditional Chinese", ...), "sideMenuBehaviour" => "adaptive"), false, false)`

```

256 |         $view = $sModulePath;
257 |     }
258 | }
259 | }
260 |
261 |     return parent::renderPartial($view, $data, $return, $processOutput);
262 | }
263 |
264 | /**
265 |  * Routes all the actions to their respective places
266 |  *

```

#11 `/home/hgctoo5/public_html/truewiring.com/app/s/modules/admin/globalsettings/views/globalSettings_view.php(51): AdminController->renderPartial("./globalsettings/_general", array("aListOfThemeObjects" => array("Sea_Green" => stdClass, "aEncodings" => array("auto" => "(Automatic)", "swe7" => "7bit Swedish", "armscii8" => "ARMSCII-8 Armenian", "big5" => "Big5 Traditional Chinese", ...), "sideMenuBehaviour" => "adaptive"))`

```

46 |         "./globalsettings/_general",
47 |         [
48 |             'aListOfThemeObjects' => $aListOfThemeObjects,
49 |             'aEncodings' => $aEncodings,
50 |             'thischarset' => $thischarset,
51 |             'sideMenuBehaviour' => $sideMenuBehaviour
52 |         ]
53 |     ); ?>
54 | </div>
55 |
56 | <div id="email" class="tab-pane col-lg-10 offset-lg-1">

```

#12 `/home/hgctoo5/public_html/truewiring.com/app/s/vendor/yiisoft/yii/framework/web/CBaseController.php(126): require("/home/hgctoo5/public_html/truewiring.com/app/`

```

121 |         $data=$_data_;
122 |         if($_return_)
123 |         {
124 |             ob_start();
125 |             ob_implicit_flush(false);
126 |             require($_viewFile_);
127 |             return ob_get_clean();
128 |         }
129 |         else
130 |             require($_viewFile_);
131 |     }

```

#13 `/home/hgctoo5/public_html/truewiring.com/app/s/vendor/yiisoft/yii/framework/web/CBaseController.php(95): CBaseController->renderInternal("/home/hgctoo5/public_html/truewiring.com/app/s/modules/admin/glo...", array("title" => "hi", "message" => "message", "usercontent" => "6", "surveycou`

```

090 |     {
091 |         $widgetCount=count($this->_widgetStack);
092 |         if(($renderer=Yii::app()->getViewRenderer())!==null && $renderer->fileExtension==='.CFFileHelper::getExten
093 |             $content=$renderer->renderFile($this,$viewFile,$data,$return);
094 |         else
095 |             $content=$this->renderInternal($viewFile,$data,$return);
096 |         if(count($this->_widgetStack)===$widgetCount)

```

```

097 |         return $content;
098 |     else
099 |     {
100 |         $widget=end($this->_widgetStack);

```

#14 `/home/hgctoo5/public_html/truewiring.com/app/s/vendor/yiisoft/yii/framework/web/CController.php(872): CBaseController->renderFile("/home/hgctoo5/public_html/truewiring.com/app/s/modules/admin/glo...", array("title" => "hi", "message" => "message", "usercount" => "6", "surveycount" =>`

```

867 |     */
868 |     public function renderPartial($view,$data=null,$return=false,$processOutput=false)
869 |     {
870 |         if(($viewFile=$this->getViewFile($view))!==false)
871 |         {
872 |             $output=$this->renderFile($viewFile,$data,true);
873 |             if($processOutput)
874 |                 $output=$this->processOutput($output);
875 |             if($return)
876 |                 return $output;
877 |             else

```

#15 `/home/hgctoo5/public_html/truewiring.com/app/s/application/controllers/AdminController.php(261): CController->renderPartial("lsadminmodules.globalsettings.views.g`  
`"hi", "message" => "message", "usercount" => "6", "surveycount" => "79", ...), true, false)`

```

256 |         $view = $sModulePath;
257 |     }
258 | }
259 | }
260 |
261 |     return parent::renderPartial($view, $data, $return, $processOutput);
262 | }
263 |
264 | /**
265 |  * Routes all the actions to their respective places
266 |  *

```

#16 `/home/hgctoo5/public_html/truewiring.com/app/s/modules/admin/globalsettings/controller/globalsettings.php(79): AdminController->renderPartial("lsadminmodules.g`  
`array("title" => "hi", "message" => "message", "usercount" => "6", "surveycount" => "79", ...), true)`

```

74 |     */
75 |     protected function renderCentralContents($sAction, $aViewUrls, $aData = [])
76 |     {
77 |         if ( file_exists ( \Yii::getPathOfAlias('lsadminmodules.'.$sAction.'.views.' . $aViewUrls) . '.php' ) ){
78 |             // Use alias to render a view outside of application directory.
79 |             return \Yii::app()->getController()->renderPartial('lsadminmodules.'.$sAction.'.views.' . $aViewUrls, $aData);
80 |         }else{
81 |             // var_dump( \Yii::getPathOfAlias('lsadminmodules.'.$sAction.'.views.' . $aViewUrls) ); die();
82 |             return parent::renderCentralContents($sAction, $aViewUrls, $aData );
83 |         }
84 |     }

```

#17 `/home/hgctoo5/public_html/truewiring.com/app/s/application/core/SurveyCommonAction.php(395): lsadminmodules\globalsettings\controller\GlobalSettings->re`  
`nderFile($basePath . "/layout_main.php", array("title" => "hi", "message" => "message", "usercount" => "6", "surveycount" => "79", ...))`

```

390 |         $renderFile = $basePath . '/layout_main.php';
391 |     }
392 | } else {
393 |     $renderFile = $basePath . '/' . $sRenderFile;
394 | }
395 | $content = $this->renderCentralContents($sAction, $aViewUrls, $aData);
396 | $out = $this->renderInternal($renderFile, ['content' => $content, 'aData' => $aData], true);
397 |
398 | App()->getClientScript()->render($out);
399 | echo $out;
400 | }

```

#18 `/home/hgctoo5/public_html/truewiring.com/app/s/application/controllers/admin/globalsettings.php(684): SurveyCommonAction->renderWrappedTemplate("globalse`  
`array("title" => "hi", "message" => "message", "usercount" => "6", "surveycount" => "79", ...), false)`

```

679 |     * @param bool    $sRenderFile
680 |     */
681 |     protected function renderWrappedTemplate($sAction = '', $aViewUrls = array(), $aData = array(), $sRenderFile =
682 |     {
683 |         App()->getClientScript()->registerScriptFile(App()->getConfig('adminscripts') . 'globalsettings.js');
684 |         parent::renderWrappedTemplate($sAction, $aViewUrls, $aData, $sRenderFile);
685 |     }
686 |
687 | /**
688 |  * Splits list of IP addresses into lists of valid and invalid addresses

```

#19 `/home/hgctoo5/public_html/truewiring.com/app/s/modules/admin/globalsettings/controller/globalsettings.php(63): GlobalSettings->renderWrappedTemplate("globals array("title" => "hi", "message" => "message", "usercount" => "6", "surveycount" => "79", ...), false)`

```

58     {
59         // We add ou new paramater to the data to parse to the view
60         $aData["myNewParam"] = $this->myNewParam;
61
62         // Then we just call the parent method
63         parent::renderWrappedTemplate($sAction, $aViewUrls, $aData, $sRenderFile);
64     }
65
66     /**
67     * Override Survey_Common_Action::renderCentralContents
68     *

```

#20 `/home/hgctoo5/public_html/truewiring.com/app/s/application/controllers/admin/globalsettings.php(153): Isadminmodules\globalsettings\controller\GlobalSettings->renderWrappedTemplate("globalsettings", "globalSettings_view", array("title" => "hi", "message" => "message", "usercount" => "6", "surveycount" => "79", ...))`

```

148     $event = new PluginEvent('listEmailPlugins', $this);
149     Yii::app()->getPluginManager()->dispatchEvent($event);
150     $emailPlugins = $event->get('plugins');
151     $data['emailPlugins'] = $emailPlugins;
152
153     $this->renderWrappedTemplate('globalsettings', 'globalSettings_view', $data);
154 }
155
156 /**
157 * Loaded by Ajax when user clicks "Calculate storage".
158 * @return void

```

#21 `/home/hgctoo5/public_html/truewiring.com/app/s/application/controllers/admin/globalsettings.php(53): GlobalSettings->displaySettings()`

```

48     public function index()
49     {
50         if (!empty(Yii::app()->getRequest()->getPost('action'))) {
51             $this->saveSettings();
52         }
53         $this->displaySettings();
54     }
55
56     /**
57     * Show PHP Info
58     */

```

#22 unknown(0): GlobalSettings->index()

#23 `/home/hgctoo5/public_html/truewiring.com/app/s/vendor/yiisoft/yii/framework/web/actions/CAction.php(114): ReflectionMethod->invokeArgs(Isadminmodules\globals array())`

```

109         elseif($param->isDefaultValueAvailable())
110             $ps[]=$param->getDefaultValue();
111         else
112             return false;
113     }
114     $method->invokeArgs($object,$ps);
115     return true;
116 }
117 }

```

#24 `/home/hgctoo5/public_html/truewiring.com/app/s/application/core/SurveyCommonAction.php(83): CAction->runWithParamsInternal(Isadminmodules\globalsettings\c ReflectionMethod, array())`

```

78         $oMethod = new ReflectionMethod($this, $sDefault);
79     }
80
81     // We're all good to go, let's execute it
82     // runWithParamsInternal would automatically get the parameters of the method and populate them as required
83     return parent::runWithParamsInternal($this, $oMethod, $params);
84 }
85
86 /**
87 * Some functions have different parameters, which are just an alias of the
88 * usual parameters we're getting in the url. This function just populates

```

#25 `/home/hgctoo5/public_html/truewiring.com/app/s/vendor/yiisoft/yii/framework/web/CController.php(308): SurveyCommonAction->runWithParams(array())`

```

303     {

```

```

304 |     $priorAction=$this->_action;
305 |     $this->_action=$action;
306 |     if($this->beforeAction($action))
307 |     {
308 |         if($action->runWithParams($this->getActionParams())===false)
309 |             $this->invalidActionParams($action);
310 |         else
311 |             $this->afterAction($action);
312 |     }
313 |     $this->_action=$priorAction;

```

#26  /home/hgctoo5/public\_html/truewing.com/app/s/vendor/yiisoft/yii/framework/web/CController.php(286): **CController->runAction**(lsadminmodules/globalsettings/contr

```

281 |     * @see runAction
282 |     */
283 |     public function runActionWithFilters($action,$filters)
284 |     {
285 |         if(empty($filters))
286 |             $this->runAction($action);
287 |         else
288 |         {
289 |             $priorAction=$this->_action;
290 |             $this->_action=$action;
291 |             CFilterChain::create($this,$action,$filters)->run();

```

#27  /home/hgctoo5/public\_html/truewing.com/app/s/vendor/yiisoft/yii/framework/web/CController.php(265): **CController->runActionWithFilters**(lsadminmodules/globalse

```

260 |         {
261 |             if(($parent=$this->getModule())===null)
262 |                 $parent=Yii::app();
263 |             if($parent->beforeControllerAction($this,$action))
264 |             {
265 |                 $this->runActionWithFilters($action,$this->filters());
266 |                 $parent->afterControllerAction($this,$action);
267 |             }
268 |         }
269 |         else
270 |             $this->missingAction($actionID);


```

#28  /home/hgctoo5/public\_html/truewing.com/app/s/application/controllers/AdminController.php(202): **CController->run**("globalsettings")

```

197 |     }
198 |
199 |     $this->runModuleController($action);
200 |
201 |
202 |     return parent::run($action);
203 | }
204 |
205 | /**
206 |  * Starting with LS4, 3rd party developer can extends any of the LimeSurve controllers.
207 |  *

```

#29  /home/hgctoo5/public\_html/truewing.com/app/s/vendor/yiisoft/yii/framework/web/CWebApplication.php(282): **CWebApplication->runController**("admin/globalsetting

```

277 |     {
278 |         list($controller,$actionID)=$ca;
279 |         $oldController=$this->_controller;
280 |         $this->_controller=$controller;
281 |         $controller->init();
282 |         $controller->run($actionID);
283 |         $this->_controller=$oldController;
284 |     }
285 |     else
286 |         throw new CHttpException(404,Yii::t('yii','Unable to resolve the request "{route}.".',
287 |             array('{route}'=>$route==='?'$this->defaultController:$route)));

```


#30  /home/hgctoo5/public\_html/truewing.com/app/s/vendor/yiisoft/yii/framework/web/CWebApplication.php(141): **CWebApplication->runController**("admin/globalsetting

```

136 |         foreach(array_splice($this->catchAllRequest,1) as $name=>$value)
137 |             $_GET[$name]=$value;
138 |         }
139 |         else
140 |             $route=$this->getUrlManager()->parseUrl($this->getRequest());
141 |         $this->runController($route);
142 |     }
143 |
144 |     /**

```

```
145 | * Registers the core application components.
146 | * This method overrides the parent implementation by registering additional core components.
```

#31  /home/hgctoo5/public\_html/truewiring.com/app/s/vendor/yiisoft/yii/framework/base/CApplication.php(185): **CWebApplication->processRequest()**

```
180 | public function run()
181 | {
182 |     if($this->hasEventHandler('onBeginRequest'))
183 |         $this->onBeginRequest(new CEvent($this));
184 |     register_shutdown_function(array($this, 'end'),0, false);
185 |     $this->processRequest();
186 |     if($this->hasEventHandler('onEndRequest'))
187 |         $this->onEndRequest(new CEvent($this));
188 | }
189 |
190 | /**
```

#32  /home/hgctoo5/public\_html/truewiring.com/app/s/index.php(167): **CApplication->run()**

```
162 | require_once APPPATH . 'core/LSYii_Application' . EXT;
163 |
164 | $config = require_once(APPPATH . 'config/internal' . EXT);
165 |
166 | Yii::$enableIncludePath = false;
167 | Yii::createApplication('LSYii_Application', $config)->run();
168 |
169 | /* End of file index.php */
170 | /* Location: ./index.php */
```