

PHP Version 5.3.3

System	Linux sl1-ch3.shared.hostnet.nl 2.6.18-408.el5.lve0.8.61.1 #1 SMP Wed Apr 18 07:47:15 EDT 2012 x86_64
Build Date	May 10 2012 07:20:10
Configure Command	'./configure' '--build=x86_64-redhat-linux-gnu' '--host=x86_64-redhat-linux-gnu' '--target=x86_64-redhat-linux-gnu' '--program-prefix=' '--prefix=/usr' '--exec-prefix=/usr' '--bindir=/usr/bin' '--sbindir=/usr/sbin' '--sysconfdir=/etc' '--datadir=/usr/share' '--includedir=/usr/include' '--libdir=/usr/lib64' '--libexecdir=/usr/libexec' '--localstatedir=/var' '--sharedstatedir=/usr/com' '--mandir=/usr/share/man' '--infodir=/usr/share/info' '--cache-file=../config.cache' '--with-libdir=lib64' '--with-config-file-path=/etc' '--with-config-file-scan-dir=/etc/php.d' '--disable-debug' '--with-pic' '--disable-rpath' '--without-pear' '--with-bz2' '--with-exec-dir=/usr/bin' '--with-freetype-dir=/usr' '--with-png-dir=/usr' '--with-xpm-dir=/usr' '--enable-gd-native-ttf' '--without-gdbm' '--with-gettext' '--with-gmp' '--with-iconv' '--with-jpeg-dir=/usr' '--with-openssl' '--with-pcre-regex=/usr' '--with-zlib' '--with-layout=GNU' '--enable-exif' '--enable-ftp' '--enable-magic-quotes' '--enable-sockets' '--enable-sysvsem' '--enable-sysvshm' '--enable-sysvmsg' '--with-kerberos' '--enable-ucd-snmp-hack' '--enable-shmop' '--enable-calendar' '--without-sqlite' '--without-sqlite3' '--with-libxml-dir=/usr' '--enable-xml' '--with-system-tzdata' '--enable-force-cgi-redirect' '--enable-pcntl' '--with-imap=shared' '--with-imap-ssl' '--enable-mbstring=shared' '--enable-mbregex' '--with-gd=shared' '--enable-bcmath=shared' '--enable-dba=shared' '--with-db4=/usr' '--with-xmlrpc=shared' '--with-ldap=shared' '--with-ldap-sasl' '--with-mysql=shared,/usr' '--with-mysqli=shared,/usr/lib64/mysql/mysql_config' '--enable-dom=shared' '--with-pgsql=shared' '--enable-wddx=shared' '--with-snmp=shared,/usr' '--enable-soap=shared' '--with-xsl=shared,/usr' '--enable-xmlreader=shared' '--enable-xmlwriter=shared' '--with-curl=shared,/usr' '--enable-fastcgi' '--enable-pdo=shared' '--with-pdo-odbc=shared,unixODBC,/usr' '--with-pdo-mysql=shared,/usr/lib64/mysql/mysql_config' '--with-pdo-pgsql=shared,/usr' '--with-pdo-sqlite=shared,/usr' '--enable-json=shared' '--enable-zip=shared' '--without-readline' '--with-pspell=shared' '--enable-phar=shared' '--enable-sysvmsg=shared' '--enable-sysvshm=shared' '--enable-sysvsem=shared' '--enable-posix=shared' '--with-unixODBC=shared,/usr' '--enable-fileinfo=shared' '--enable-intl=shared' '--with-icu-dir=/usr'
Server API	CGI/FastCGI
Virtual Directory Support	disabled
Configuration File (php.ini) Path	/etc
Loaded Configuration File	/etc/php.ini
Scan this dir for additional .ini files	/etc/php.d
Additional .ini files parsed	/etc/php.d/bcmath.ini, /etc/php.d/curl.ini, /etc/php.d/dba.ini, /etc/php.d/dom.ini, /etc/php.d/fileinfo.ini, /etc/php.d/gd.ini, /etc/php.d/imagick.ini, /etc/php.d/imap.ini, /etc/php.d/ioncube_loader.ini, /etc/php.d/json.ini, /etc/php.d/ldap.ini, /etc/php.d/mbstring.ini, /etc/php.d/mcrypt.ini, /etc/php.d/mysql.ini, /etc/php.d/mysqli.ini, /etc/php.d/ncurses.ini, /etc/php.d/odbc.ini, /etc/php.d/pdo.ini, /etc/php.d/pdo_mysql.ini, /etc/php.d/pdo_odbc.ini, /etc/php.d/pdo_pgsql.ini, /etc/php.d/pdo_sqlite.ini, /etc/php.d/pgsql.ini, /etc/php.d/phar.ini, /etc/php.d/posix.ini, /etc/php.d/readline.ini, /etc/php.d/snmp.ini, /etc/php.d/soap.ini, /etc/php.d/sqlite.ini, /etc/php.d/sysvmsg.ini, /etc/php.d/sysvsem.ini, /etc/php.d/sysvshm.ini, /etc/php.d/wddx.ini, /etc/php.d/xmlreader.ini, /etc/php.d/xmlrpc.ini, /etc/php.d/xmlwriter.ini, /etc/php.d/xsl.ini, /etc/php.d/zend_optimizer.ini, /etc/php.d/zip.ini

PHP API	20090626
PHP Extension	20090626
Zend Extension	220090626
Zend Extension Build	API220090626,NTS
PHP Extension Build	API20090626,NTS
Debug Build	no
Thread Safety	disabled
Zend Memory Manager	enabled
Zend Multibyte Support	disabled
IPv6 Support	enabled
Registered PHP Streams	https, ftps, compress.zlib, compress.bzip2, php, file, glob, data, http, ftp, phar, zip
Registered Stream Socket Transports	tcp, udp, unix, udg, ssl, sslv3, sslv2, tls
Registered Stream Filters	zlib.*, bzip2.*, convert.iconv.*, string.rot13, string.toupper, string.tolower, string.strip_tags, convert.*, consumed, dechunk, mcrypt.*, mdecrypt.*

Powered By Zend Engine 2
This program makes use of the Zend Scripting Language Engine:
Zend Engine v2.3.0, Copyright (c) 1998-2010 Zend Technologies
with the ionCube PHP Loader v4.0.12, Copyright (c) 2002-2011, by ionCube Ltd., and
with Zend Guard Loader v3.3, Copyright (c) 1998-2010, by Zend Technologies

PHP Credits

Configuration

bcmath

BCMath support	enabled

Directive	Local Value	Master Value
bcmath.scale	0	0

bz2

BZip2 Support	Enabled
Stream Wrapper support	compress.bz2://
Stream Filter support	bzip2.decompress, bzip2.compress
BZip2 Version	1.0.3, 15-Feb-2005

calendar

Calendar support	enabled

cgi-fcgi

Directive	Local Value	Master Value
cgi.check_shebang_line	1	1
cgi.discard_path	0	0
cgi.fix_pathinfo	1	1
cgi.force_redirect	1	1
cgi.nph	0	0
cgi.redirect_status_env	*no value*	*no value*
cgi.rfc2616_headers	0	0
fastcgi.logging	1	1

Core

PHP Version	5.3.3

Directive	Local Value	Master Value
allow_call_time_pass_reference	Off	Off
allow_url_fopen	On	On
allow_url_include	Off	Off
always_populate_raw_post_data	Off	Off
arg_separator.input	&	&
arg_se	&	&

parator.output		
asp_tags	Off	Off
auto_append_file	*no value*	*no value*
auto_globals_jit	On	On
auto_prepend_file	*no value*	*no value*
browscap	*no value*	*no value*
default_charset	*no value*	*no value*
default_mimetype	text/html	text/html
define_syslog_variables	Off	Off
disable_classes	*no value*	*no value*
disable_functions	passthru,proc_close,proc_get_status,proc_nice,proc_open,proc_terminate,shell_exec,system,apache_note,apache_setenv,closelog,debugger_off,debugger_on,define_syslog_variables,openlog,syslog,popen,pclose,exec,ini_restore,symlink	passthru,proc_close,proc_get_status,proc_nice,proc_open,proc_terminate,shell_exec,system,apache_note,apache_setenv,closelog,debugger_off,debugger_on,define_syslog_variables,openlog,syslog,popen,pclose,exec,ini_restore,symlink
display_errors	Off	Off
display_startup_errors	Off	Off
doc_root	*no value*	*no value*
docref_ext	*no value*	*no value*
docref_root	*no value*	*no value*
enable_dl	On	On
error_append_string		
error_log	*no value*	*no value*
error_prepen	<font color=ff0000>	<font color=ff0000>

d_string		
error_reporting	30719	30719
exit_on_timeout	Off	Off
expose_php	On	On
extension_dir	/usr/lib64/php/modules	/usr/lib64/php/modules
file_uploads	On	On
highlight.bg	#FFFFFF	#FFFFFF
highlight.comment	#FF8000	#FF8000
highlight.default	#0000BB	#0000BB
highlight.html	#000000	#000000
highlight.keyword	#007700	#007700
highlight.string	#DD0000	#DD0000
html_errors	Off	Off
ignore_repeated_errors	Off	Off
ignore_repeated_source	Off	Off
ignore_user_abort	Off	Off
implicit_flush	Off	Off
include_path	.:/php/includes:/usr/share/pear:/usr/libexec/php4-cgi/share/pear	.:/php/includes:/usr/share/pear:/usr/libexec/php4-cgi/share/pear
log_errors	On	On
log_errors_max_len	1024	1024
magic_quotes_gpc	Off	Off

magic_quotes_runtime	Off	Off
magic_quotes_sybase	Off	Off
mail.add_x_header	Off	Off
mail.force_extra_parameters	*no value*	*no value*
mail.log	*no value*	*no value*
max_execution_time	75	75
max_file_uploads	20	20
max_input_nesting_level	64	64
max_input_time	-1	-1
max_input_vars	1000	1000
memory_limit	266M	266M
open_basedir	*no value*	*no value*
output_buffering	0	0
output_handler	*no value*	*no value*
post_max_size	20M	20M
precision	14	14
realpath_cache_size	16K	16K
realpath_cache_ttl	120	120

register_argc_argv	On	On
register_globals	Off	Off
register_long_arrays	On	On
report_memleaks	On	On
report_zend_debug	On	On
request_order	*no value*	*no value*
safe_mode	Off	Off
safe_mode_exec_dir	*no value*	*no value*
safe_mode_gid	Off	Off
safe_mode_include_dir	*no value*	*no value*
sendmail_from	*no value*	*no value*
sendmail_path	/usr/sbin/sendmail -t -i	/usr/sbin/sendmail -t -i
serialize_precision	100	100
short_open_tag	On	On
SMTP	localhost	localhost
smtp_port	25	25
sql.safe_mode	Off	Off
track_errors	Off	Off
unserialize_callback_func	*no value*	*no value*

upload_max_filesize	20M	20M
upload_tmp_dir	*no value*	*no value*
user_dir	*no value*	*no value*
user_ini.cache_ttl	300	300
user_ini.filename	.user.ini	.user.ini
variables_order	EGPCS	EGPCS
xmlrpc_error_number	0	0
xmlrpc_errors	Off	Off
y2k_compliance	On	On
zend.enable_gc	On	On

ctype

ctype functions	enabled

curl

cURL support	enabled
cURL Information	7.15.5
Age	2
Features	
AsynchDNS	No
Debug	No
GSS-Negotiate	Yes
IDN	Yes
IPv6	Yes
Largefile	Yes
NTLM	Yes
SPNEGO	No

SSL	Yes
SSPI	No
krb4	No
libz	Yes
CharConv	No
Protocols	tftp, ftp, telnet, dict, ldap, http, file, https, ftps
Host	x86_64-redhat-linux-gnu
SSL Version	OpenSSL/0.9.8b
ZLib Version	1.2.3

date

date/time support	enabled
"Olson" Timezone Database Version	0.system
Timezone Database	internal
Default timezone	Europe/Amsterdam

Directive	Local Value	Master Value
date.default_latitude	31.7667	31.7667
date.default_longitude	35.2333	35.2333
date.sunrise_zenith	90.583333	90.583333
date.sunset_zenith	90.583333	90.583333
date.timezone	Europe/Amsterdam	Europe/Amsterdam

dba

DBA support	enabled
Supported handlers	cdb cdb_make db4 inifile flatfile

Directive	Local Value	Master Value
dba.default_handler	flatfile	flatfile

dom

DOM/XML	enabled
DOM/XML API Version	20031129
libxml Version	2.6.26
HTML Support	enabled
XPath Support	enabled
XPointer Support	enabled
Schema Support	enabled
RelaxNG Support	enabled

ereg

Regex Library	Bundled library enabled

exif

EXIF Support	enabled
EXIF Version	1.4 $Id: exif.c 293036 2010-01-03 09:23:27Z sebastian $
Supported EXIF Version	0220
Supported filetypes	JPEG,TIFF

Directive	Local Value	Master Value
exif.decode_jis_intel	JIS	JIS
exif.decode_jis_motorola	JIS	JIS
exif.decode_unicode_intel	UCS-2LE	UCS-2LE
exif.decode_unicode_motorola	UCS-2BE	UCS-2BE
exif.encode_jis	*no value*	*no value*
exif.encode_unicode	ISO-8859-15	ISO-8859-15

fileinfo

fileinfo support	enabled
version	1.0.5-dev

filter

Input Validation and Filtering	enabled
Revision	$Revision: 298196 $

Directive	Local Value	Master Value
filter.default	unsafe_raw	unsafe_raw
filter.default_flags	*no value*	*no value*

ftp

FTP support	enabled

gd

GD Support	enabled
GD Version	bundled (2.0.34 compatible)
FreeType Support	enabled
FreeType Linkage	with freetype
FreeType Version	2.2.1
GIF Read Support	enabled
GIF Create Support	enabled
JPEG Support	enabled
libJPEG Version	6b
PNG Support	enabled
libPNG Version	1.2.10
WBMP Support	enabled
XPM Support	enabled
XBM Support	enabled

Directive	Local Value	Master Value
gd.jpeg_ignore_warning	0	0

gettext

GetText Support	enabled

gmp

gmp support	enabled
GMP version	4.1.4

hash

hash support	enabled
Hashing Engines	md2 md4 md5 sha1 sha224 sha256 sha384 sha512 ripemd128 ripemd160 ripemd256 ripemd320 whirlpool tiger128,3 tiger160,3 tiger192,3 tiger128,4 tiger160,4 tiger192,4 snefru snefru256 gost adler32 crc32 crc32b salsa10 salsa20 haval128,3 haval160,3 haval192,3 haval224,3 haval256,3 haval128,4 haval160,4 haval192,4 haval224,4 haval256,4 haval128,5 haval160,5 haval192,5 haval224,5 haval256,5

iconv

iconv support	enabled
iconv implementation	glibc
iconv library version	2.5

Directive	Local Value	Master Value
iconv.input_encoding	ISO-8859-1	ISO-8859-1
iconv.internal_encoding	ISO-8859-1	ISO-8859-1
iconv.output_encoding	ISO-8859-1	ISO-8859-1

imagick

imagick module	enabled
imagick module version	3.0.1
imagick classes	Imagick, ImagickDraw, ImagickPixel, ImagickPixelIterator
ImageMagick version	ImageMagick 6.2.8 05/08/12 Q16 file:/usr/share/ImageMagick-6.2.8/doc/index.html
ImageMagick copyright	Copyright (C) 1999-2006 ImageMagick Studio LLC
ImageMagick release date	05/08/12
ImageMagick number of supported formats:	153
ImageMagick supported formats	A, ART, AVI, AVS, B, BMP, BMP2, BMP3, C, CACHE, CAPTION, CIN, CIP, CLIP, CMYK, CMYKA, CUR, CUT, DCM, DCX, DNG, DOT, DPS, DPX, EPDF, EPI, EPS, EPS2, EPS3, EPSF, EPSI, EPT, EPT2, EPT3, FAX, FITS, FRACTAL, G, G3, GIF, GIF87, GRADIENT, GRAY, HISTOGRAM, HTM, HTML, ICB, ICO, ICON, INFO, JNG, JPEG, JPG, K, LABEL, M, M2V, MAP, MAT, MATTE, MIFF, MNG, MONO, MPC, MPEG, MPG, MSL, MTV, MVG, NULL, O, OTB, OTF, P7, PAL, PALM, PAM, PATTERN, PBM, PCD, PCDS, PCL, PCT, PCX, PDB, PDF, PFA, PFB, PGM, PICON, PICT, PIX, PJPEG, PLASMA, PNG, PNG24, PNG32, PNG8, PNM, PPM, PREVIEW, PS, PS2, PS3, PSD, PTIF, PWP, R, RAS, RGB, RGBA, RGBO, RLA, RLE, SCR, SCT, SFW, SGI, SHTML, STEGANO, SUN, SVG, SVGZ, TEXT, TGA, TIFF, TILE, TIM, TTC, TTF, TXT, UIL, UYVY, VDA, VICAR, VID, VIFF, VST, WBMP, WMF, WMZ, WPG, X, XBM, XC, XCF, XPM, XV, XWD, Y, YCbCr, YCbCrA, YUV

Directive	Local Value	Master Value
imagick.locale_fix	0	0
imagick.progress_monitor	0	0

imap

IMAP c-Client Version	2004
SSL Support	enabled
Kerberos Support	enabled

json

json support	enabled
json version	1.2.1

ldap

LDAP Support	enabled
RCS Version	$Id: ldap.c 299434 2010-05-17 20:09:42Z pajoye $
Total Links	0/unlimited
API Version	3001
Vendor Name	OpenLDAP
Vendor Version	20343
SASL Support	Enabled

Directive	Local Value	Master Value
ldap.max_links	Unlimited	Unlimited

libxml

libXML support	active
libXML Compiled Version	2.6.26
libXML Loaded Version	20626
libXML streams	enabled

mbstring

Multibyte Support	enabled
Multibyte string engine	libmbfl
HTTP input encoding translation	disabled

mbstring extension makes use of "streamable kanji code filter and converter", which is distributed under the GNU Lesser General Public License version 2.1.

Multibyte (japanese) regex support	enabled
Multibyte regex (oniguruma) backtrack check	On
Multibyte regex (oniguruma) version	4.7.1

Directive	Local Value	Master Value
mbstring.detect_order	*no value*	*no value*
mbstring.encoding_translation	Off	Off
mbstring.func_overload	0	0
mbstring.http_input	pass	pass
mbstring.http_output	pass	pass
mbstring.http_output_conv_mimetypes	^(text/|application/xhtml\+xml)	^(text/|application/xhtml\+xml)
mbstring.internal_encoding	*no value*	*no value*
mbstring.language	neutral	neutral
mbstring.strict_detection	Off	Off

mbstring.substitute_character	*no value*	*no value*

mcrypt

mcrypt support	**enabled**
mcrypt_filter support	**enabled**
Version	2.5.7
Api No	20021217
Supported ciphers	cast-128 gost rijndael-128 twofish arcfour cast-256 loki97 rijndael-192 saferplus wake blowfish-compat des rijndael-256 serpent xtea blowfish enigma rc2 tripledes
Supported modes	cbc cfb ctr ecb ncfb nofb ofb stream

Directive	Local Value	Master Value
mcrypt.algorithms_dir	*no value*	*no value*
mcrypt.modes_dir	*no value*	*no value*

mysql

MySQL Support	enabled
Active Persistent Links	0
Active Links	0
Client API version	5.0.95
MYSQL_MODULE_TYPE	external
MYSQL_SOCKET	/var/lib/mysql/mysql.sock
MYSQL_INCLUDE	-I/usr/include/mysql
MYSQL_LIBS	-L/usr/lib64/mysql -lmysqlclient

Directive	Local Value	Master Value
mysql.allow_local_infile	On	On
mysql.allow_persistent	Off	Off
mysql.connect_timeout	60	60
mysql.default_host	*no value*	*no value*
mysql.default_password	*no value*	*no value*
mysql.default_port	*no value*	*no value*
mysql.default_socket	/var/lib/mysql/mysql.sock	/var/lib/mysql/mysql.sock
mysql.default_user	*no value*	*no value*
mysql.max_links	Unlimited	Unlimited
mysql.max_persistent	Unlimited	Unlimited
mysql.trace_mode	Off	Off

mysqli

Mysqll Support	enabled
Client API library version	5.0.95
Active Persistent Links	0
Inactive Persistent Links	0
Active Links	0
Client API header version	5.0.95
MYSQLI_SOCKET	/var/lib/mysql/mysql.sock

Directive	Local Value	Master Value
mysqli.allow_local_infile	On	On
mysqli.allow_persistent	On	On
mysqli.default_host	*no value*	*no value*
mysqli.default_port	3306	3306
mysqli.default_pw	*no value*	*no value*
mysqli.default_socket	*no value*	*no value*
mysqli.default_user	*no value*	*no value*
mysqli.max_links	Unlimited	Unlimited
mysqli.max_persistent	Unlimited	Unlimited
mysqli.reconnect	Off	Off

ncurses

ncurses support	enabled
ncurses library version	5.5
color support	yes

odbc

ODBC Support	enabled
Active Persistent Links	0
Active Links	0
ODBC library	unixODBC
ODBC_INCLUDE	-I/usr/include
ODBC_LFLAGS	-L/usr/lib64
ODBC_LIBS	-lodbc

Directive	Local Value	Master Value
odbc.allow_persistent	On	On
odbc.check_persistent	On	On
odbc.default_cursortype	Static cursor	Static cursor
odbc.default_db	*no value*	*no value*
odbc.default_pw	no value	no value
odbc.default_user	*no value*	*no value*

odbc.defaultbinmode	return as is	return as is
odbc.defaultlrl	return up to 4096 bytes	return up to 4096 bytes
odbc.max_links	Unlimited	Unlimited
odbc.max_persistent	Unlimited	Unlimited

openssl

OpenSSL support	enabled
OpenSSL Library Version	OpenSSL 0.9.8e-fips-rhel5 01 Jul 2008
OpenSSL Header Version	OpenSSL 0.9.8e-fips-rhel5 01 Jul 2008

pcntl

pcntl support	enabled

pcre

PCRE (Perl Compatible Regular Expressions) Support	enabled
PCRE Library Version	6.6 06-Feb-2006

Directive	Local Value	Master Value
pcre.backtrack_limit	100000	100000
pcre.recursion_limit	100000	100000

PDO

PDO support	enabled
PDO drivers	mysql, odbc, pgsql, sqlite, sqlite2

pdo_mysql

PDO Driver for MySQL	enabled
Client API version	5.0.95

PDO_ODBC

PDO Driver for ODBC (unixODBC)	enabled
ODBC Connection Pooling	Enabled, strict matching

pdo_pgsql

PDO Driver for PostgreSQL	enabled
PostgreSQL(libpq) Version	8.1.23
Module version	1.0.2
Revision	$Id: pdo_pgsql.c 300351 2010-06-10 12:11:19Z iliaa $

pdo_sqlite

PDO Driver for SQLite 3.x	enabled
SQLite Library	3.3.6

pgsql

PostgreSQL Support	enabled
PostgreSQL(libpq) Version	8.1.23
Multibyte character support	enabled
SSL support	enabled
Active Persistent Links	0
Active Links	0

Directive	Local Value	Master Value
pgsql.allow_persistent	On	On
pgsql.auto_reset_persistent	Off	Off
pgsql.ignore_notice	Off	Off
pgsql.log_notice	Off	Off
pgsql.max_links	Unlimited	Unlimited
pgsql.max_persistent	Unlimited	Unlimited

Phar

Phar: PHP Archive support	enabled
Phar EXT version	2.0.1
Phar API version	1.1.1
SVN revision	$Revision: 298908 $
Phar-based phar archives	enabled
Tar-based phar archives	enabled
ZIP-based phar archives	enabled
gzip compression	enabled
bzip2 compression	enabled
Native OpenSSL support	enabled

Phar based on pear/PHP_Archive, original concept by Davey Shafik. Phar fully realized by Gregory Beaver and Marcus Boerger. Portions of tar implementation Copyright (c) 2003-2009 Tim Kientzle.

Directive	Local Value	Master Value
phar.cache_list	*no value*	*no value*
phar.readonly	On	On
phar.require_hash	On	On

posix

Revision	$Revision: 300764 $

Reflection

Reflection	enabled
Version	$Revision: 300393 $

session

Session Support	enabled
Registered save handlers	files user sqlite
Registered serializer handlers	php php_binary wddx

Directive	Local Value	Master Value
session.auto_start	Off	Off
session.bug_compat_42	On	On
session.bug_compat_warn	On	On
session.cache_expire	180	180
session.cache_limiter	nocache	nocache
session.cookie_domain	*no value*	*no value*
session.cookie_httponly	Off	Off
session.cookie_lifetime	0	0
session.cookie_path	/	/
session.cookie_secure	Off	Off
session.entropy_file	*no value*	*no value*
session.entropy_length	0	0
session.gc_divisor	100	100
session.gc_maxlifetime	1440	1440
session.gc_probability	1	1
session.hash_bits_per_character	4	4
session.hash_function	0	0
session.name	PHPSESSID	PHPSESSID

session.referer_check	*no value*	*no value*
session.save_handler	files	files
session.save_path	/tmp	/tmp
session.serialize_handler	php	php
session.use_cookies	On	On
session.use_only_cookies	On	On
session.use_trans_sid	1	1

shmop

shmop support	enabled

SimpleXML

Simplexml support	enabled
Revision	$Revision: 299424 $
Schema support	enabled

snmp

NET-SNMP Support	enabled
NET-SNMP Version	5.3.2.2

soap

Soap Client	enabled
Soap Server	enabled

Directive	Local Value	Master Value
soap.wsdl_cache	1	1
soap.wsdl_cache_dir	/tmp	/tmp
soap.wsdl_cache_enabled	1	1
soap.wsdl_cache_limit	5	5
soap.wsdl_cache_ttl	86400	86400

sockets

Sockets Support	enabled

SPL

SPL support	enabled
Interfaces	Countable, OuterIterator, RecursiveIterator, SeekableIterator, SplObserver, SplSubject
Classes	AppendIterator, ArrayIterator, ArrayObject, BadFunctionCallException, BadMethodCallException, CachingIterator, DirectoryIterator, DomainException, EmptyIterator, FilesystemIterator, FilterIterator, GlobIterator, InfiniteIterator, InvalidArgumentException, IteratorIterator, LengthException, LimitIterator, LogicException, MultipleIterator, NoRewindIterator, OutOfBoundsException, OutOfRangeException, OverflowException, ParentIterator, RangeException, RecursiveArrayIterator, RecursiveCachingIterator, RecursiveDirectoryIterator, RecursiveFilterIterator, RecursiveIteratorIterator, RecursiveRegexIterator, RecursiveTreeIterator, RegexIterator, RuntimeException, SplDoublyLinkedList, SplFileInfo, SplFileObject, SplFixedArray, SplHeap, SplMinHeap, SplMaxHeap, SplObjectStorage, SplPriorityQueue, SplQueue, SplStack, SplTempFileObject, UnderflowException, UnexpectedValueException

SQLite

SQLite support	enabled
PECL Module version	2.0-dev $Id: sqlite.c 298697 2010-04-28 12:10:10Z iliaa $
SQLite Library	2.8.17
SQLite Encoding	iso8859

Directive	Local Value	Master Value
sqlite.assoc_case	0	0

standard

Dynamic Library Support	enabled
Path to sendmail	/usr/sbin/sendmail -t -i

Directive	Local Value	Master Value
assert.active	1	1
assert.bail	0	0
assert.callback	*no value*	*no value*
assert.quiet_eval	0	0
assert.warning	1	1
auto_detect_line_endings	0	0
default_socket_timeout	60	60
safe_mode_allowed_env_vars	PHP_	PHP_
safe_mode_protected_env_vars	LD_LIBRARY_PATH	LD_LIBRARY_PATH
url_rewriter.tags	a=href,area=href,frame=src,form=,fieldset=	a=href,area=href,frame=src,form=,fieldset=
user_agent	*no value*	*no value*

sysvmsg

sysvmsg support	enabled
Revision	$Revision: 293036 $

tokenizer

Tokenizer Support	enabled

wddx

WDDX Support	enabled
WDDX Session Serializer	enabled

xml

XML Support	active
XML Namespace Support	active
libxml2 Version	2.6.26

xmlreader

XMLReader	enabled

xmlrpc

core library version	xmlrpc-epi v. 0.51
php extension version	0.51
author	Dan Libby
homepage	http://xmlrpc-epi.sourceforge.net
open sourced by	Epinions.com

xmlwriter

XMLWriter	enabled

xsl

XSL	enabled

libxslt Version	1.1.17
libxslt compiled against libxml Version	2.6.26
EXSLT	enabled
libexslt Version	1.1.17

Zend Guard Loader

Zend Guard Loader	enabled
License Path	*no value*
Obfuscation level	3

zip

Zip	enabled
Extension Version	$Id: php_zip.c 300470 2010-06-15 18:48:33Z pajoye $
Zip version	1.9.1
Libzip version	0.9.0

zlib

ZLib Support	enabled
Stream Wrapper support	compress.zlib://
Stream Filter support	zlib.inflate, zlib.deflate
Compiled Version	1.2.3
Linked Version	1.2.3

Directive	Local Value	Master Value
zlib.output_compression	Off	Off
zlib.output_compression_level	-1	-1
zlib.output_handler	*no value*	*no value*

Additional Modules

Module Name
ionCube Loader
readline
sysvsem
sysvshm

Environment

Variable	Value
PATH	/usr/local/bin:/usr/bin:/bin
REDIRECT_HANDLER	php5-cgi-script
REDIRECT_STATUS	200
UNIQUE_ID	w0iU@n8AAAEAABCMM30AAAQ5
SCRIPT_URL	/phphinfo.php
SCRIPT_URI	http://www.politiekeweegschaal.nl/phphinfo.php
PHPRC	/var/www/vhosts/6/118822/php5
HTTP_ACCEPT	text/html, application/xhtml+xml, */*
HTTP_ACCEPT_LANGUAGE	nl-NL,en-GB;q=0.5
HTTP_USER_AGENT	Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; WOW64; Trident/5.0)
HTTP_ACCEPT_ENCODING	gzip, deflate
HTTP_HOST	www.politiekeweegschaal.nl
HTTP_CONNECTION	Keep-Alive
HTTP_COOKIE	__utma=203911441.1602709628.1343925640.1343925640.1343979696.2; __utmz=203911441.1343925640.1.1.utmcsr=(direct)|utmccn=(direct)|utmcmd=(none)
SERVER_SIGNATURE	*no value*
SERVER_SOFTWARE	Apache
SERVER_NAME	www.politiekeweegschaal.nl
SERVER_ADDR	91.184.19.62
SERVER_PORT	80
REMOTE_ADDR	137.120.35.30
DOCUMENT_ROOT	/var/www/vhosts/6/118822/webspace/httpdocs
SERVER_ADMIN	you@example.com
SCRIPT_FILENAME	/var/www/vhosts/6/118822/webspace/httpdocs/phphinfo.php
REMOTE_PORT	52110
REDIRECT_URL	/phphinfo.php
GATEWAY_INTERFACE	CGI/1.1
SERVER_PROTOCOL	HTTP/1.1
REQUEST_METHOD	GET
QUERY_STRING	*no value*
REQUEST_URI	/phphinfo.php
SCRIPT_NAME	/phphinfo.php
ORIG_SCRIPT_FILENAME	/var/www/cgi-bin/php5/php
ORIG_PATH_INFO	/phphinfo.php
ORIG_PATH_TRANSLATED	/var/www/vhosts/6/118822/webspace/httpdocs/phphinfo.php
ORIG_SCRIPT_NAME	/cgi-php5/php

PHP Variables

Variable	Value
_REQUEST["__utma"]	203911441.1602709628.1343925640.1343925640.1343979696.2

_REQUEST["__utmz"]	203911441.1343925640.1.1.utmcsr=(direct)|utmccn=(direct)|utmcmd=(none)
_COOKIE["__utma"]	203911441.1602709628.1343925640.1343925640.1343979696.2
_COOKIE["__utmz"]	203911441.1343925640.1.1.utmcsr=(direct)|utmccn=(direct)|utmcmd=(none)
_SERVER["PATH"]	/usr/local/bin:/usr/bin:/bin
_SERVER["REDIRECT_HANDLER"]	php5-cgi-script
_SERVER["REDIRECT_STATUS"]	200
_SERVER["UNIQUE_ID"]	w0iU@n8AAAEAABCMM30AAAQ5
_SERVER["SCRIPT_URL"]	/phphinfo.php
_SERVER["SCRIPT_URI"]	http://www.politiekeweegschaal.nl/phphinfo.php
_SERVER["PHPRC"]	/var/www/vhosts/6/118822/php5
_SERVER["HTTP_ACCEPT"]	text/html, application/xhtml+xml, */*
_SERVER["HTTP_ACCEPT_LANGUAGE"]	nl-NL,en-GB;q=0.5
_SERVER["HTTP_USER_AGENT"]	Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; WOW64; Trident/5.0)
_SERVER["HTTP_ACCEPT_ENCODING"]	gzip, deflate
_SERVER["HTTP_HOST"]	www.politiekeweegschaal.nl
_SERVER["HTTP_CONNECTION"]	Keep-Alive
_SERVER["HTTP_COOKIE"]	__utma=203911441.1602709628.1343925640.1343925640.1343979696.2; __utmz=203911441.1343925640.1.1.utmcsr=(direct)|utmccn=(direct)|utmcmd=(none)
_SERVER["SERVER_SIGNATURE"]	*no value*
_SERVER["SERVER_SOFTWARE"]	Apache
_SERVER["SERVER_NAME"]	www.politiekeweegschaal.nl
_SERVER["SERVER_ADDR"]	91.184.19.62
_SERVER["SERVER_PORT"]	80
_SERVER["REMOTE_ADDR"]	137.120.35.30
_SERVER["DOCUMENT_ROOT"]	/var/www/vhosts/6/118822/webspace/httpdocs
_SERVER["SERVER_ADMIN"]	you@example.com
_SERVER["SCRIPT_FILENAME"]	/var/www/vhosts/6/118822/webspace/httpdocs/phphinfo.php
_SERVER["REMOTE_PORT"]	52110
_SERVER["REDIRECT_URL"]	/phphinfo.php
_SERVER["GATEWAY_INTERFACE"]	CGI/1.1
_SERVER["SERVER_PROTOCOL"]	HTTP/1.1
_SERVER["REQUEST_METHOD"]	GET
_SERVER["QUERY_STRING"]	*no value*
_SERVER["REQUEST_URI"]	/phphinfo.php
_SERVER["SCRIPT_NAME"]	/phphinfo.php
_SERVER["ORIG_SCRIPT_FILENAME"]	/var/www/cgi-bin/php5/php
_SERVER["ORIG_PATH_INFO"]	/phphinfo.php
_SERVER["ORIG_PATH_TRANSLATED"]	/var/www/vhosts/6/118822/webspace/httpdocs/phphinfo.php

_SERVER["ORIG_SCRIPT_NAME"]	/cgi-php5/php
_SERVER["PHP_SELF"]	/phphinfo.php
_SERVER["REQUEST_TIME"]	1345629415
_SERVER["argv"]	Array ( )
_SERVER["argc"]	0
_ENV["PATH"]	/usr/local/bin:/usr/bin:/bin
_ENV["REDIRECT_HANDLER"]	php5-cgi-script
_ENV["REDIRECT_STATUS"]	200
_ENV["UNIQUE_ID"]	w0iU@n8AAAEAABCMM30AAAQ5
_ENV["SCRIPT_URL"]	/phphinfo.php
_ENV["SCRIPT_URI"]	http://www.politiekeweegschaal.nl/phphinfo.php
_ENV["PHPRC"]	/var/www/vhosts/6/118822/php5
_ENV["HTTP_ACCEPT"]	text/html, application/xhtml+xml, */*
_ENV["HTTP_ACCEPT_LANGUAGE"]	nl-NL,en-GB;q=0.5
_ENV["HTTP_USER_AGENT"]	Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; WOW64; Trident/5.0)
_ENV["HTTP_ACCEPT_ENCODING"]	gzip, deflate
_ENV["HTTP_HOST"]	www.politiekeweegschaal.nl
_ENV["HTTP_CONNECTION"]	Keep-Alive
_ENV["HTTP_COOKIE"]	__utma=203911441.1602709628.1343925640.1343925640.1343979696.2; __utmz=203911441.1343925640.1.1.utmcsr=(direct)|utmccn=(direct)|utmcmd=(none)
_ENV["SERVER_SIGNATURE"]	*no value*
_ENV["SERVER_SOFTWARE"]	Apache
_ENV["SERVER_NAME"]	www.politiekeweegschaal.nl
_ENV["SERVER_ADDR"]	91.184.19.62
_ENV["SERVER_PORT"]	80
_ENV["REMOTE_ADDR"]	137.120.35.30
_ENV["DOCUMENT_ROOT"]	/var/www/vhosts/6/118822/webspace/httpdocs
_ENV["SERVER_ADMIN"]	you@example.com
_ENV["SCRIPT_FILENAME"]	/var/www/vhosts/6/118822/webspace/httpdocs/phphinfo.php
_ENV["REMOTE_PORT"]	52110
_ENV["REDIRECT_URL"]	/phphinfo.php
_ENV["GATEWAY_INTERFACE"]	CGI/1.1
_ENV["SERVER_PROTOCOL"]	HTTP/1.1
_ENV["REQUEST_METHOD"]	GET
_ENV["QUERY_STRING"]	*no value*
_ENV["REQUEST_URI"]	/phphinfo.php
_ENV["SCRIPT_NAME"]	/phphinfo.php
_ENV["ORIG_SCRIPT_FILENAME"]	/var/www/cgi-bin/php5/php
_ENV["ORIG_PATH_INFO"]	/phphinfo.php
_ENV["ORIG_PATH_TRANSLATED"	/var/www/vhosts/6/118822/webspace/httpdocs/phphinfo.php

]	
_ENV["ORIG_SCRIPT_NAME"]	/cgi-php5/php

PHP License

This program is free software; you can redistribute it and/or modify it under the terms of the PHP License as published by the PHP Group and included in the distribution in the file: LICENSE

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

If you did not receive a copy of the PHP license, or have any questions about PHP licensing, please contact license@php.net.