PHP Version 5.2.17

System	Linux ps132210 3.1.9-vs2.3.2.5 #1 SMP Thu Jan 26 02:37:05 UTC 2012 x86_64
Build Date	Mar 1 2012 16:34:58
Configure Command	'./configure' '--prefix=/usr/local/php5' '--datadir=/usr/local/php5/share' '--localstatedir=/usr/local/php5/var' '--enable-sockets' '--enable-fastcgi' '--enable-bcmath' '--with-pear=/usr/local/php5/lib/pear' '--with-mysql=/usr' '--enable-calendar' '--with-mhash=/usr' '--with-kerberos' '--enable-force-cgi-redirect' '--with-config-file-path=/etc/php5/cgi' '--with-config-file-scan-dir=/etc/php5/cgi/ini.d' '--with-imap' '--with-imap-ssl' '--enable-trans-sid' '--with-gd' '--with-xml' '--with-xsl' '--with-ttf=/usr' '--with-freetype-dir=/usr' '--enable-exif' '--with-xslt' '--with-xslt-sablot=/usr' '--with-dom-xslt=/usr' '--with-jpeg-dir=/usr' '--with-png-dir=/usr' '--with-zlib-dir=/usr' '--with-pdo-mysql' '--enable-ftp' '--with-curl=/usr' '--with-pspell=/usr' '--enable-mbstring' '--with-mcrypt' '--with-mysqli' '--with-openssl=/usr' '--with-gettext' '--enable-pcntl'
Server API	CGI/FastCGI
Virtual Directory Support	disabled
Configuration File (php.ini) Path	/etc/php5/cgi
Loaded Configuration File	/etc/php5/cgi/php.ini
Scan this dir for additional .ini files	/etc/php5/cgi/ini.d
additional .ini files parsed	(none)
PHP API	20041225
PHP Extension	20060613
Zend Extension	220060519
Debug Build	no
Thread Safety	disabled
Zend Memory Manager	enabled
IPv6 Support	enabled
Registered PHP Streams	https, ftps, compress.zlib, php, file, data, http, ftp
Registered Stream Socket Transports	tcp, udp, unix, udg, ssl, sslv3, sslv2, tls
Registered Stream Filters	zlib.*, convert.iconv.*, string.rot13, string.toupper, string.tolower, string.strip_tags, convert.*, consumed

This program makes use of the Zend Scripting Language Engine:
Zend Engine v2.2.0, Copyright (c) 1998-2010 Zend Technologies
with Zend Extension Manager v1.2.2, Copyright (c) 2003-2007, by Zend Technologies
with XCache v1.2.2, Copyright (c) 2005-2007, by mOo
with Zend Optimizer v3.3.9, Copyright (c) 1998-2009, by Zend Technologies

Configuration

PHP Core

Directive	Local Value	Master Value
allow_call_time_pass_reference	Off	Off
allow_url_fopen	On	On
allow_url_include	Off	Off
always_populate_raw_post_data	Off	Off
arg_separator.input	&	&
arg_separator.output	&	&
asp_tags	Off	Off
auto_append_file	*no value*	*no value*
auto_globals_jit	On	On
auto_prepend_file	*no value*	*no value*
browscap	*no value*	*no value*
default_charset	*no value*	*no value*
default_mimetype	text/html	text/html
define_syslog_variables	Off	Off
disable_classes	*no value*	*no value*
disable_functions	*no value*	*no value*
display_errors	On	On
display_startup_errors	Off	Off
doc_root	*no value*	*no value*
docref_ext	*no value*	*no value*
docref_root	*no value*	*no value*
enable_dl	On	On
error_append_string	*no value*	*no value*
error_log	*no value*	*no value*
error_prepend_string	*no value*	*no value*
error_reporting	6135	6135
expose_php	Off	Off
extension_dir	/	/
file_uploads	On	On
highlight.bg	#FFFFFF	#FFFFFF
highlight.comment	#FF8000	#FF8000
highlight.default	#0000BB	#0000BB
highlight.html	#000000	#000000
highlight.keyword	#007700	#007700
highlight.string	#DD0000	#DD0000
html_errors	On	On
ignore_repeated_errors	Off	Off
ignore_repeated_source	Off	Off
ignore_user_abort	Off	Off
implicit_flush	Off	Off
include_path	.:/usr/local/lib/php:/usr/local/php5/lib/pear	.:/usr/local/lib/php:/usr/local/php5/lib/pear

log_errors	Off	Off
log_errors_max_len	1024	1024
magic_quotes_gpc	Off	Off
magic_quotes_runtime	Off	Off
magic_quotes_sybase	Off	Off
mail.force_extra_parameters	*no value*	*no value*
max_execution_time	30	30
max_file_uploads	20	20
max_input_nesting_level	64	64
max_input_time	60	60
max_input_vars	1000	1000
memory_limit	90M	90M
open_basedir	*no value*	*no value*
output_buffering	4096	4096
output_handler	*no value*	*no value*
post_max_size	8M	8M
precision	14	14
realpath_cache_size	128k	128k
realpath_cache_ttl	300	300
register_argc_argv	On	On
register_globals	Off	Off
register_long_arrays	Off	Off
report_memleaks	On	On
report_zend_debug	On	On
safe_mode	Off	Off
safe_mode_exec_dir	*no value*	*no value*
safe_mode_gid	Off	Off
safe_mode_include_dir	*no value*	*no value*
sendmail_from	*no value*	*no value*
sendmail_path	/usr/sbin/sendmail -t -i	/usr/sbin/sendmail -t -i
serialize_precision	100	100
short_open_tag	On	On
SMTP	localhost	localhost
smtp_port	25	25
sql.safe_mode	Off	Off
track_errors	Off	Off
unserialize_callback_func	*no value*	*no value*
upload_max_filesize	7M	7M
upload_tmp_dir	*no value*	*no value*
user_dir	*no value*	*no value*
variables_order	GPCS	GPCS
xmlrpc_error_number	0	0
xmlrpc_errors	Off	Off
y2k_compliance	On	On
zend.ze1_compatibility_mode	Off	Off

bcmath

BCMath support	enabled

calendar

Calendar support	enabled

cgi-fcgi

Directive	Local Value	Master Value
cgi.check_shebang_line	1	1
cgi.fix_pathinfo	1	1
cgi.force_redirect	1	1
cgi.nph	0	0
cgi.redirect_status_env	*no value*	*no value*
cgi.rfc2616_headers	0	0
fastcgi.logging	1	1

ctype

ctype functions	enabled

curl

cURL support	enabled
cURL Information	libcurl/7.21.0 OpenSSL/0.9.8o zlib/1.2.3.4 libidn/1.15 libssh2/1.2.6

date

date/time support	enabled
"Olson" Timezone Database Version	2010.9
Timezone Database	internal
Default timezone	America/Los_Angeles

Directive	Local Value	Master Value
date.default_latitude	31.7667	31.7667
date.default_longitude	35.2333	35.2333
date.sunrise_zenith	90.583333	90.583333
date.sunset_zenith	90.583333	90.583333
date.timezone	*no value*	*no value*

dom

DOM/XML	enabled
DOM/XML API Version	20031129
libxml Version	2.7.6
HTML Support	enabled
XPath Support	enabled
XPointer Support	enabled
Schema Support	enabled
RelaxNG Support	enabled

exif

EXIF Support	enabled
EXIF Version	1.4 $Id: exif.c 293036 2010-01-03 09:23:27Z sebastian $
Supported EXIF Version	0220
Supported filetypes	JPEG,TIFF

filter

Input Validation and Filtering	enabled
Revision	$Revision: 298196 $

Directive	Local Value	Master Value
filter.default	unsafe_raw	unsafe_raw
filter.default_flags	*no value*	*no value*

ftp

FTP support	enabled

gd

GD Support	enabled
GD Version	bundled (2.0.34 compatible)
FreeType Support	enabled
FreeType Linkage	with freetype
FreeType Version	2.3.11
GIF Read Support	enabled
GIF Create Support	enabled
JPG Support	enabled
PNG Support	enabled
WBMP Support	enabled
XBM Support	enabled

gettext

GetText Support	enabled

hash

hash support	enabled
Hashing Engines	md2 md4 md5 sha1 sha256 sha384 sha512 ripemd128 ripemd160 ripemd256 ripemd320 whirlpool tiger128,3 tiger160,3 tiger192,3 tiger128,4 tiger160,4 tiger192,4 snefru gost adler32 crc32 crc32b haval128,3 haval160,3 haval192,3 haval224,3 haval256,3 haval128,4 haval160,4 haval192,4 haval224,4 haval256,4 haval128,5 haval160,5 haval192,5 haval224,5 haval256,5

iconv

iconv support	enabled
iconv implementation	glibc
iconv library version	2.11.3

Directive	Local Value	Master Value
iconv.input_encoding	ISO-8859-1	ISO-8859-1
iconv.internal_encoding	ISO-8859-1	ISO-8859-1
iconv.output_encoding	ISO-8859-1	ISO-8859-1

imap

IMAP c-Client Version	2007e
SSL Support	enabled
Kerberos Support	enabled

json

json support	enabled
json version	1.2.1

libxml

libXML support	active
libXML Version	2.7.6
libXML streams	enabled

mbstring

Multibyte Support	enabled
Multibyte string engine	libmbfl
Multibyte (japanese) regex support	enabled
Multibyte regex (oniguruma) version	4.4.4

Multibyte regex (oniguruma) backtrack check	On

mbstring extension makes use of "streamable kanji code filter and converter", which is distributed under the GNU Lesser General Public License version 2.1.

Directive	Local Value	Master Value
mbstring.detect_order	*no value*	*no value*
mbstring.encoding_translation	Off	Off
mbstring.func_overload	0	0
mbstring.http_input	pass	pass
mbstring.http_output	pass	pass
mbstring.internal_encoding	*no value*	*no value*
mbstring.language	neutral	neutral
mbstring.strict_detection	Off	Off
mbstring.substitute_character	*no value*	*no value*

mcrypt

mcrypt support	enabled
Version	2.5.8
Api No	20021217
Supported ciphers	cast-128 gost rijndael-128 twofish arcfour cast-256 loki97 rijndael-192 saferplus wake blowfish-compat des rijndael-256 serpent xtea blowfish enigma rc2 tripledes
Supported modes	cbc cfb ctr ecb ncfb nofb ofb stream

Directive	Local Value	Master Value
mcrypt.algorithms_dir	*no value*	*no value*
mcrypt.modes_dir	*no value*	*no value*

mhash

MHASH support	Enabled
MHASH API Version	20060101

mysql

MySQL Support	enabled
Active Persistent Links	0
Active Links	0
Client API version	5.1.63
MYSQL_MODULE_TYPE	external
MYSQL_SOCKET	/var/run/mysqld/mysqld.sock
MYSQL_INCLUDE	-I/usr/include/mysql
MYSQL_LIBS	-L/usr/lib -lmysqlclient

Directive	Local Value	Master Value
mysql.allow_persistent	On	On
mysql.connect_timeout	60	60
mysql.default_host	*no value*	*no value*
mysql.default_password	*no value*	*no value*
mysql.default_port	*no value*	*no value*
mysql.default_socket	*no value*	*no value*
mysql.default_user	*no value*	*no value*
mysql.max_links	Unlimited	Unlimited
mysql.max_persistent	Unlimited	Unlimited
mysql.trace_mode	Off	Off

mysqli

Mysqli Support	enabled
Client API library version	5.1.63
Client API header version	5.1.41
MYSQLI_SOCKET	/var/run/mysqld/mysqld.sock

Directive	Local Value	Master Value
mysqli.default_host	*no value*	*no value*
mysqli.default_port	3306	3306
mysqli.default_pw	*no value*	*no value*
mysqli.default_socket	*no value*	*no value*
mysqli.default_user	*no value*	*no value*
mysqli.max_links	Unlimited	Unlimited
mysqli.reconnect	Off	Off

openssl

OpenSSL support	enabled
OpenSSL Version	OpenSSL 0.9.8o 01 Jun 2010

pcntl

pcntl support	enabled

pcre

PCRE (Perl Compatible Regular Expressions) Support	enabled
PCRE Library Version	8.02 2010-03-19

Directive	Local Value	Master Value
pcre.backtrack_limit	100000	100000
pcre.recursion_limit	100000	100000

PDO

PDO support	enabled
PDO drivers	mysql, sqlite, sqlite2

pdo_mysql

PDO Driver for MySQL, client library version	5.1.63

pdo_sqlite

PDO Driver for SQLite 3.x	enabled
PECL Module version	(bundled) 1.0.1 $Id: pdo_sqlite.c 293036 2010-01-03 09:23:27Z sebastian $
SQLite Library	3.3.7

posix

Revision	$Revision: 293036 $

pspell

PSpell Support	enabled

Reflection

Reflection	enabled
Version	$Id: php_reflection.c 300129 2010-06-03 00:43:37Z felipe $

session

Session Support	enabled
Registered save handlers	files user sqlite
Registered serializer handlers	php php_binary

Directive	Local Value	Master Value
session.auto_start	Off	Off
session.bug_compat_42	Off	Off
session.bug_compat_warn	On	On
session.cache_expire	180	180
session.cache_limiter	nocache	nocache
session.cookie_domain	*no value*	*no value*
session.cookie_httponly	Off	Off

session.cookie_lifetime	0	0
session.cookie_path	/	/
session.cookie_secure	Off	Off
session.entropy_file	*no value*	*no value*
session.entropy_length	0	0
session.gc_divisor	1000	1000
session.gc_maxlifetime	1440	1440
session.gc_probability	1	1
session.hash_bits_per_character	5	5
session.hash_function	0	0
session.name	PHPSESSID	PHPSESSID
session.referer_check	*no value*	*no value*
session.save_handler	files	files
session.save_path	/tmp	/tmp
session.serialize_handler	php	php
session.use_cookies	On	On
session.use_only_cookies	Off	Off
session.use_trans_sid	0	0

SimpleXML

Simplexml support	enabled
Revision	$Revision: 299016 $
Schema support	enabled

sockets

Sockets Support	enabled

SPL

SPL support	enabled
Interfaces	Countable, OuterIterator, RecursiveIterator, SeekableIterator, SplObserver, SplSubject
Classes	AppendIterator, ArrayIterator, ArrayObject, BadFunctionCallException, BadMethodCallException, CachingIterator, DirectoryIterator, DomainException, EmptyIterator, FilterIterator, InfiniteIterator, InvalidArgumentException, IteratorIterator, LengthException, LimitIterator, LogicException, NoRewindIterator, OutOfBoundsException, OutOfRangeException, OverflowException, ParentIterator, RangeException, RecursiveArrayIterator, RecursiveCachingIterator, RecursiveDirectoryIterator, RecursiveFilterIterator, RecursiveIteratorIterator, RecursiveRegexIterator, RegexIterator, RuntimeException, SimpleXMLIterator, SplFileInfo, SplFileObject, SplObjectStorage, SplTempFileObject, UnderflowException, UnexpectedValueException

SQLite

SQLite support	enabled
PECL Module version	2.0-dev $Id: sqlite.c 298697 2010-04-28 12:10:10Z iliaa $

SQLite Library	2.8.17
SQLite Encoding	iso8859

Directive	Local Value	Master Value
sqlite.assoc_case	0	0

standard

Regex Library	Bundled library enabled
Dynamic Library Support	enabled
Path to sendmail	/usr/sbin/sendmail -t -i

Directive	Local Value	Master Value
assert.active	1	1
assert.bail	0	0
assert.callback	*no value*	*no value*
assert.quiet_eval	0	0
assert.warning	1	1
auto_detect_line_endings	0	0
default_socket_timeout	60	60
safe_mode_allowed_env_vars	PHP_	PHP_
safe_mode_protected_env_vars	LD_LIBRARY_PATH	LD_LIBRARY_PATH
url_rewriter.tags	a=href,area=href,frame=src,input=src,form=fakeentry	a=href,area=href,frame=src,input=src,form=fakeentry
user_agent	*no value*	*no value*

tokenizer

Tokenizer Support	enabled

XCache

XCache Support	enabled
Version	1.2.2
Modules Built	cacher
Readonly Protection	N/A
Opcode Cache	enabled, 16,777,216 bytes, 2 split(s), with 1024 slots each
Variable Cache	enabled, 1,048,576 bytes, 2 split(s), with 8192 slots each
Shared Memory Schemes	mmap

Directive	Local Value	Master Value
xcache.admin.enable_auth	Off	Off
xcache.cacher	On	On
xcache.coredump_directory	*no value*	*no value*
xcache.count	2	2
xcache.gc_interval	300	300
xcache.mmap_path	/dev/zero	/dev/zero

xcache.readonly_protection	*no value*	*no value*
xcache.shm_scheme	mmap	mmap
xcache.size	16M	16M
xcache.slots	1K	1K
xcache.stat	On	On
xcache.test	*no value*	*no value*
xcache.ttl	3600	3600
xcache.var_count	2	2
xcache.var_gc_interval	300	300
xcache.var_maxttl	0	0
xcache.var_size	1M	1M
xcache.var_slots	8K	8K
xcache.var_ttl	300	300

xml

XML Support	active
XML Namespace Support	active
libxml2 Version	2.7.6

xmlreader

XMLReader	enabled

xmlwriter

XMLWriter	enabled

xsl

XSL	enabled
libxslt Version	1.1.26
libxslt compiled against libxml Version	2.7.8
EXSLT	enabled
libexslt Version	1.1.26

Zend Optimizer

Optimization Pass 1	enabled
Optimization Pass 2	enabled
Optimization Pass 3	enabled
Optimization Pass 4	enabled
Optimization Pass 9	enabled
Zend Loader	enabled
License Path	*no value*

Obfuscation level	3

zlib

ZLib Support	enabled
Stream Wrapper support	compress.zlib://
Stream Filter support	zlib.inflate, zlib.deflate
Compiled Version	1.2.3.4
Linked Version	1.2.3.4

Directive	Local Value	Master Value
zlib.output_compression	Off	Off
zlib.output_compression_level	-1	-1
zlib.output_handler	*no value*	*no value*

Additional Modules

Module Name

Environment

Variable	Value
PATH	/usr/local/bin:/usr/bin:/bin
RAILS_ENV	production

PHP Variables

Variable	Value
_REQUEST["__cfduid"]	d5086c37be128b78f5dd70185a9059e381350106909
_REQUEST["__unam"]	511307d-1369659855c-2e002b2-153
_REQUEST["PHPSESSID"]	bphv03gqbcuk2bt74pvm5o9ah3
_COOKIE["__cfduid"]	d5086c37be128b78f5dd70185a9059e381350106909
_COOKIE["__unam"]	511307d-1369659855c-2e002b2-153
_COOKIE["PHPSESSID"]	bphv03gqbcuk2bt74pvm5o9ah3
_SERVER["PATH"]	/bin:/usr/bin:/sbin:/usr/sbin
_SERVER["RAILS_ENV"]	production
_SERVER["FCGI_ROLE"]	RESPONDER
_SERVER["UNIQUE_ID"]	UJ7x9kBvc@IAAGacd94AAAAB
_SERVER["SCRIPT_URL"]	/phpinfo.php
_SERVER["SCRIPT_URI"]	http://surveys.lyceum.ws/phpinfo.php
_SERVER["dsid"]	8429192
_SERVER["ds_id_8429192"]	*no value*
_SERVER["DH_USER"]	sr_lime2
_SERVER["HTTP_HOST"]	surveys.lyceum.ws
_SERVER["HTTP_CONNECTION"]	close

_SERVER["HTTP_USER_AGENT"]	Mozilla/5.0 (Windows NT 6.2; WOW64) AppleWebKit/537.11 (KHTML, like Gecko) Chrome/23.0.1271.64 Safari/537.11
_SERVER["HTTP_ACCEPT"]	text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
_SERVER["HTTP_ACCEPT_ENCODING"]	gzip,deflate,sdch
_SERVER["HTTP_ACCEPT_LANGUAGE"]	en-US,en;q=0.8
_SERVER["HTTP_ACCEPT_CHARSET"]	ISO-8859-1,utf-8;q=0.7,*;q=0.3
_SERVER["HTTP_COOKIE"]	__cfduid=d5086c37be128b78f5dd70185a9059e381350106909; __unam=511307d-1369659855c-2e002b2-153; PHPSESSID=bphv03gqbcuk2bt74pvm5o9ah3
_SERVER["SERVER_SIGNATURE"]	*no value*
_SERVER["SERVER_SOFTWARE"]	Apache
_SERVER["SERVER_NAME"]	surveys.lyceum.ws
_SERVER["SERVER_ADDR"]	64.111.115.226
_SERVER["SERVER_PORT"]	80
_SERVER["REMOTE_ADDR"]	108.69.113.33
_SERVER["DOCUMENT_ROOT"]	/home/sr_lime2/surveys.lyceum.ws
_SERVER["SERVER_ADMIN"]	webmaster@surveys.lyceum.ws
_SERVER["SCRIPT_FILENAME"]	/home/sr_lime2/surveys.lyceum.ws/phpinfo.php
_SERVER["REMOTE_PORT"]	53525
_SERVER["GATEWAY_INTERFACE"]	CGI/1.1
_SERVER["SERVER_PROTOCOL"]	HTTP/1.1
_SERVER["REQUEST_METHOD"]	GET
_SERVER["QUERY_STRING"]	*no value*
_SERVER["REQUEST_URI"]	/phpinfo.php
_SERVER["SCRIPT_NAME"]	/phpinfo.php
_SERVER["PHP_SELF"]	/phpinfo.php
_SERVER["REQUEST_TIME"]	1352593910
_SERVER["argv"]	`Array ( )`
_SERVER["argc"]	0

PHP License

This program is free software; you can redistribute it and/or modify it under the terms of the PHP License as published by the PHP Group and included in the distribution in the file: LICENSE

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

If you did not receive a copy of the PHP license, or have any questions about PHP licensing, please contact license@php.net.

bcmath

BCMath support	enabled

calendar

Calendar support	enabled

cgi-fcgi

Directive	Local Value	Master Value
cgi.check_shebang_line	1	1
cgi.fix_pathinfo	1	1
cgi.force_redirect	1	1
cgi.nph	0	0
cgi.redirect_status_env	*no value*	*no value*
cgi.rfc2616_headers	0	0
fastcgi.logging	1	1

ctype

ctype functions	enabled

curl

cURL support	enabled
cURL Information	libcurl/7.21.0 OpenSSL/0.9.8o zlib/1.2.3.4 libidn/1.15 libssh2/1.2.6

date

date/time support	enabled
"Olson" Timezone Database Version	2010.9
Timezone Database	internal
Default timezone	America/Los_Angeles

Directive	Local Value	Master Value
date.default_latitude	31.7667	31.7667
date.default_longitude	35.2333	35.2333
date.sunrise_zenith	90.583333	90.583333
date.sunset_zenith	90.583333	90.583333
date.timezone	*no value*	*no value*

dom

DOM/XML	enabled
DOM/XML API Version	20031129
libxml Version	2.7.6
HTML Support	enabled
XPath Support	enabled
XPointer Support	enabled

Schema Support	enabled
RelaxNG Support	enabled

exif

EXIF Support	enabled
EXIF Version	1.4 $Id: exif.c 293036 2010-01-03 09:23:27Z sebastian $
Supported EXIF Version	0220
Supported filetypes	JPEG,TIFF

filter

Input Validation and Filtering	enabled
Revision	$Revision: 298196 $

Directive	Local Value	Master Value
filter.default	unsafe_raw	unsafe_raw
filter.default_flags	*no value*	*no value*

ftp

FTP support	enabled

gd

GD Support	enabled
GD Version	bundled (2.0.34 compatible)
FreeType Support	enabled
FreeType Linkage	with freetype
FreeType Version	2.3.11
GIF Read Support	enabled
GIF Create Support	enabled
JPG Support	enabled
PNG Support	enabled
WBMP Support	enabled
XBM Support	enabled

gettext

GetText Support	enabled

hash

hash support	enabled

Hashing Engines	md2 md4 md5 sha1 sha256 sha384 sha512 ripemd128 ripemd160 ripemd256 ripemd320 whirlpool tiger128,3 tiger160,3 tiger192,3 tiger128,4 tiger160,4 tiger192,4 snefru gost adler32 crc32 crc32b haval128,3 haval160,3 haval192,3 haval224,3 haval256,3 haval128,4 haval160,4 haval192,4 haval224,4 haval256,4 haval128,5 haval160,5 haval192,5 haval224,5 haval256,5

iconv

iconv support	enabled
iconv implementation	glibc
iconv library version	2.11.3

Directive	Local Value	Master Value
iconv.input_encoding	ISO-8859-1	ISO-8859-1
iconv.internal_encoding	ISO-8859-1	ISO-8859-1
iconv.output_encoding	ISO-8859-1	ISO-8859-1

imap

IMAP c-Client Version	2007e
SSL Support	enabled
Kerberos Support	enabled

json

json support	enabled
json version	1.2.1

libxml

libXML support	active
libXML Version	2.7.6
libXML streams	enabled

mbstring

Multibyte Support	enabled
Multibyte string engine	libmbfl
Multibyte (japanese) regex support	enabled
Multibyte regex (oniguruma) version	4.4.4
Multibyte regex (oniguruma) backtrack check	On

mbstring extension makes use of "streamable kanji code filter and converter", which is distributed under the GNU Lesser General Public License version 2.1.

Directive	Local Value	Master Value

mbstring.detect_order	*no value*	*no value*
mbstring.encoding_translation	Off	Off
mbstring.func_overload	0	0
mbstring.http_input	pass	pass
mbstring.http_output	pass	pass
mbstring.internal_encoding	*no value*	*no value*
mbstring.language	neutral	neutral
mbstring.strict_detection	Off	Off
mbstring.substitute_character	*no value*	*no value*

mcrypt

mcrypt support	**enabled**
Version	2.5.8
Api No	20021217
Supported ciphers	cast-128 gost rijndael-128 twofish arcfour cast-256 loki97 rijndael-192 saferplus wake blowfish-compat des rijndael-256 serpent xtea blowfish enigma rc2 tripledes
Supported modes	cbc cfb ctr ecb ncfb nofb ofb stream

Directive	**Local Value**	**Master Value**
mcrypt.algorithms_dir	*no value*	*no value*
mcrypt.modes_dir	*no value*	*no value*

mhash

MHASH support	Enabled
MHASH API Version	20060101

mysql

MySQL Support	**enabled**
Active Persistent Links	0
Active Links	0
Client API version	5.1.63
MYSQL_MODULE_TYPE	external
MYSQL_SOCKET	/var/run/mysqld/mysqld.sock
MYSQL_INCLUDE	-I/usr/include/mysql
MYSQL_LIBS	-L/usr/lib -lmysqlclient

Directive	**Local Value**	**Master Value**
mysql.allow_persistent	On	On
mysql.connect_timeout	60	60
mysql.default_host	*no value*	*no value*
mysql.default_password	*no value*	*no value*
mysql.default_port	*no value*	*no value*

mysql.default_socket	*no value*	*no value*
mysql.default_user	*no value*	*no value*
mysql.max_links	Unlimited	Unlimited
mysql.max_persistent	Unlimited	Unlimited
mysql.trace_mode	Off	Off

mysqli

Mysqll Support	enabled
Client API library version	5.1.63
Client API header version	5.1.41
MYSQLI_SOCKET	/var/run/mysqld/mysqld.sock

Directive	Local Value	Master Value
mysqli.default_host	*no value*	*no value*
mysqli.default_port	3306	3306
mysqli.default_pw	*no value*	*no value*
mysqli.default_socket	*no value*	*no value*
mysqli.default_user	*no value*	*no value*
mysqli.max_links	Unlimited	Unlimited
mysqli.reconnect	Off	Off

openssl

OpenSSL support	enabled
OpenSSL Version	OpenSSL 0.9.8o 01 Jun 2010

pcntl

pcntl support	enabled

pcre

PCRE (Perl Compatible Regular Expressions) Support	enabled
PCRE Library Version	8.02 2010-03-19

Directive	Local Value	Master Value
pcre.backtrack_limit	100000	100000
pcre.recursion_limit	100000	100000

PDO

PDO support	enabled
PDO drivers	mysql, sqlite, sqlite2

pdo_mysql

PDO Driver for MySQL, client library version	5.1.63

pdo_sqlite

PDO Driver for SQLite 3.x	enabled
PECL Module version	(bundled) 1.0.1 $Id: pdo_sqlite.c 293036 2010-01-03 09:23:27Z sebastian $
SQLite Library	3.3.7

posix

Revision	$Revision: 293036 $

pspell

PSpell Support	enabled

Reflection

Reflection	enabled
Version	$Id: php_reflection.c 300129 2010-06-03 00:43:37Z felipe $

session

Session Support	enabled
Registered save handlers	files user sqlite
Registered serializer handlers	php php_binary

Directive	Local Value	Master Value
session.auto_start	Off	Off
session.bug_compat_42	Off	Off
session.bug_compat_warn	On	On
session.cache_expire	180	180
session.cache_limiter	nocache	nocache
session.cookie_domain	*no value*	*no value*
session.cookie_httponly	Off	Off
session.cookie_lifetime	0	0
session.cookie_path	/	/
session.cookie_secure	Off	Off
session.entropy_file	*no value*	*no value*
session.entropy_length	0	0
session.gc_divisor	1000	1000

session.gc_maxlifetime	1440	1440
session.gc_probability	1	1
session.hash_bits_per_character	5	5
session.hash_function	0	0
session.name	PHPSESSID	PHPSESSID
session.referer_check	*no value*	*no value*
session.save_handler	files	files
session.save_path	/tmp	/tmp
session.serialize_handler	php	php
session.use_cookies	On	On
session.use_only_cookies	Off	Off
session.use_trans_sid	0	0

SimpleXML

Simplexml support	enabled
Revision	$Revision: 299016 $
Schema support	enabled

sockets

Sockets Support	enabled

SPL

SPL support	enabled
Interfaces	Countable, OuterIterator, RecursiveIterator, SeekableIterator, SplObserver, SplSubject
Classes	AppendIterator, ArrayIterator, ArrayObject, BadFunctionCallException, BadMethodCallException, CachingIterator, DirectoryIterator, DomainException, EmptyIterator, FilterIterator, InfiniteIterator, InvalidArgumentException, IteratorIterator, LengthException, LimitIterator, LogicException, NoRewindIterator, OutOfBoundsException, OutOfRangeException, OverflowException, ParentIterator, RangeException, RecursiveArrayIterator, RecursiveCachingIterator, RecursiveDirectoryIterator, RecursiveFilterIterator, RecursiveIteratorIterator, RecursiveRegexIterator, RegexIterator, RuntimeException, SimpleXMLIterator, SplFileInfo, SplFileObject, SplObjectStorage, SplTempFileObject, UnderflowException, UnexpectedValueException

SQLite

SQLite support	enabled
PECL Module version	2.0-dev $Id: sqlite.c 298697 2010-04-28 12:10:10Z iliaa $
SQLite Library	2.8.17
SQLite Encoding	iso8859

Directive	Local Value	Master Value
sqlite.assoc_case	0	0

standard

Regex Library	Bundled library enabled
Dynamic Library Support	enabled
Path to sendmail	/usr/sbin/sendmail -t -i

Directive	Local Value	Master Value
assert.active	1	1
assert.bail	0	0
assert.callback	*no value*	*no value*
assert.quiet_eval	0	0
assert.warning	1	1
auto_detect_line_endings	0	0
default_socket_timeout	60	60
safe_mode_allowed_env_vars	PHP_	PHP_
safe_mode_protected_env_vars	LD_LIBRARY_PATH	LD_LIBRARY_PATH
url_rewriter.tags	a=href,area=href,frame=src,input=src,form=fakeentry	a=href,area=href,frame=src,input=src,form=fakeentry
user_agent	*no value*	*no value*

tokenizer

Tokenizer Support	enabled

XCache

XCache Support	enabled
Version	1.2.2
Modules Built	cacher
Readonly Protection	N/A
Opcode Cache	enabled, 16,777,216 bytes, 2 split(s), with 1024 slots each
Variable Cache	enabled, 1,048,576 bytes, 2 split(s), with 8192 slots each
Shared Memory Schemes	mmap

Directive	Local Value	Master Value
xcache.admin.enable_auth	Off	Off
xcache.cacher	On	On
xcache.coredump_directory	*no value*	*no value*
xcache.count	2	2
xcache.gc_interval	300	300
xcache.mmap_path	/dev/zero	/dev/zero
xcache.readonly_protection	*no value*	*no value*
xcache.shm_scheme	mmap	mmap
xcache.size	16M	16M
xcache.slots	1K	1K
xcache.stat	On	On
xcache.test	*no value*	*no value*

xcache.ttl	3600	3600
xcache.var_count	2	2
xcache.var_gc_interval	300	300
xcache.var_maxttl	0	0
xcache.var_size	1M	1M
xcache.var_slots	8K	8K
xcache.var_ttl	300	300

xml

XML Support	active
XML Namespace Support	active
libxml2 Version	2.7.6

xmlreader

XMLReader	enabled

xmlwriter

XMLWriter	enabled

xsl

XSL	enabled
libxslt Version	1.1.26
libxslt compiled against libxml Version	2.7.8
EXSLT	enabled
libexslt Version	1.1.26

Zend Optimizer

Optimization Pass 1	enabled
Optimization Pass 2	enabled
Optimization Pass 3	enabled
Optimization Pass 4	enabled
Optimization Pass 9	enabled
Zend Loader	enabled
License Path	*no value*
Obfuscation level	3

zlib

ZLib Support	enabled

Stream Wrapper support	compress.zlib://
Stream Filter support	zlib.inflate, zlib.deflate
Compiled Version	1.2.3.4
Linked Version	1.2.3.4

Directive	Local Value	Master Value
zlib.output_compression	Off	Off
zlib.output_compression_level	-1	-1
zlib.output_handler	*no value*	*no value*

Additional Modules

Module Name