CDbException

CDbCommand ha riportato un errore nell'esecuzione della query SQL: SQLSTATE[42000]: Syntax error or access violation: 1064 You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near '::text = '' OR `971454X1203X17328`::text = ' ') AND submitdate is not null AND ' at line 1. The SQL statement executed was: SELECT count(*) FROM survey_971454 WHERE (`971454X1203X17328`::text = '' OR `971454X1203X17328`::text = ' ') AND submitdate is not null AND `971454X1203X17328` IN ('26', '27', '28', '29', '30', '31', '32')

/opt/www/LimeSurvey/framework/db/CDbCommand.php(543)

```
531         {
532             if($this->_connection->enableProfiling)
533                 Yii::endProfile('system.db.CDbCommand.query('.$this->getText().$par.')','system.db.CDbCommand.query');
534
535             $errorInfo=$e instanceof PDOException ? $e->errorInfo : null;
536             $message=$e->getMessage();
537             Yii::log(Yii::t('yii','CDbCommand::{method}() failed: {error}. The SQL statement executed was: {sql}.',
538                 array('{method}'=>$method, '{error}'=>$message, '{sql}'=>$this->getText().$par)),CLogger::LEVEL_ERROR,'system.db.CDbCommand');
539
540             if(YII_DEBUG)
541                 $message.='. The SQL statement executed was: '.$this->getText().$par;
542
543             throw new CDbException(Yii::t('yii','CDbCommand failed to execute the SQL statement: {error}',
544                 array('{error}'=>$message)),(int)$e->getCode(),$errorInfo);
545         }
546     }
547
548     /**
549      * Builds a SQL SELECT statement from the given query specification.
550      * @param array $query the query specification in name-value pairs. The following
551      * query options are supported: {@link select}, {@link distinct}, {@link from},
552      * {@link where}, {@link join}, {@link group}, {@link having}, {@link order},
553      * {@link limit}, {@link offset} and {@link union}.
554      * @throws CDbException if "from" key is not present in given query parameter
555      * @return string the SQL statement
```

Stack Trace

#0 /opt/www/LimeSurvey/framework/db/CDbCommand.php(433): **CDbCommand->queryInternal**("fetchColumn", 0, array())

```
428      * @return mixed the value of the first column in the first row of the query result. False is returned if there is no value.
429      * @throws CException execution failed
430      */
431     public function queryScalar($params=array())
432     {
433         $result=$this->queryInternal('fetchColumn',0,$params);
434         if(is_resource($result) && get_resource_type($result)==='stream')
435             return stream_get_contents($result);
436         else
437             return $result;
438     }
```

#1 /opt/www/LimeSurvey/application/helpers/admin/statistics_helper.php(2569): **CDbCommand->queryScalar**()

```
2564
2565             //check for any "sql" that has been passed from another script
2566             if (!empty($sql)) {$query .= " AND $sql";}
2567
2568             //get data
2569             $row=Yii::app()->db->createCommand($query)->queryScalar();
2570
2571             //store temporarily value of answer count of question type '5' and 'A'.
2572             $tempcount = -1; //count can't be less han zero
2573
2574             //increase counter
```

#2 /opt/www/LimeSurvey/application/helpers/admin/statistics_helper.php(3948): **statistics_helper->displayResults**(array("alist" => array(array("26", "1945"), array("27", "1946"), array("28", "1947"), array("29", "1948"), ...), "qtitle" => "a1", "qquestion" => "1.1 Anno di nascita", "qtype" => "!", ...), "18", "971454X1203X17328", "html", ...)

```
3943                 $outputs=$this->buildOutputList($rt, $language, $surveyid, $outputType, $sql, $sLanguageCode);
3944                 $sOutputHTML .= $outputs['statisticsoutput'];
3945                 //2. Collect and Display results ###########################################################################
3946                 if (isset($outputs['alist']) && $outputs['alist']) //Make sure there really is an answerlist, and if so:
3947                 {
3948                     $display=$this->displayResults($outputs, $results, $rt, $outputType, $surveyid, $sql, $usegraph, $browse, $sLanguageCode);
3949                     $sOutputHTML .= $display['statisticsoutput'];
3950                     $aStatisticsData = array_merge($aStatisticsData, $display['astatdata']);
3951                 }    //end if -> collect and display results
3952
3953
```

#3 /opt/www/LimeSurvey/application/controllers/admin/statistics.php(482): **statistics_helper->generate_html_chartjs_statistics**("971454", array("idG", "idL", "971454X1203X17328"), array("idG", "idL", "971454X1203X17328"), 0, ...)

```
477             $outputType = $_POST['outputtype'];
478
479
480             switch($outputType){
481                 case 'html':
482                     $statisticsoutput .=  $helper->generate_html_chartjs_statistics($surveyid,$summary,$summary,$usegraph,$outputType,'DD',$statlang);
483                     break;
484                 case 'pdf':
485                     $helper->generate_statistics($surveyid,$summary,$summary,$usegraph,$outputType,'I',$statlang);
486                     exit;
487                     break;
```

#4 unknown(0): **statistics->run**("971454", null)

#5 /opt/www/LimeSurvey/framework/web/actions/CAction.php(109): **ReflectionMethod->invokeArgs**(statistics, array("971454", null))

```
104             elseif($param->isDefaultValueAvailable())
105                 $ps[]=$param->getDefaultValue();
106             else
107                 return false;
108         }
```

```
109         $method->invokeArgs($object,$ps);
110         return true;
111     }
112 }
```

#6 /opt/www/LimeSurvey/application/core/Survey_Common_Action.php(101): **CAction**->**runWithParamsInternal**(statistics, ReflectionMethod, array("r" => "admin/statistics/sa/index/surveyid/971454", "sa" => "index", "surveyid" => "971454", "iSurveyId" => "971454", ...))

```
096             $oMethod = new ReflectionMethod($this, $sDefault);
097         }
098
099         // We're all good to go, let's execute it
100         // runWithParamsInternal would automatically get the parameters of the method and populate them as required with the params
101         return parent::runWithParamsInternal($this, $oMethod, $params);
102     }
103
104     /**
105     * Some functions have different parameters, which are just an alias of the
106     * usual parameters we're getting in the url. This function just populates
```

#7 /opt/www/LimeSurvey/framework/web/CController.php(308): **Survey_Common_Action**->**runWithParams**(array("r" => "admin/statistics/sa/index/surveyid/971454", "sa" => "index", "surveyid" => "971454"))

```
303     {
304         $priorAction=$this->_action;
305         $this->_action=$action;
306         if($this->beforeAction($action))
307         {
308             if($action->runWithParams($this->getActionParams())===false)
309                 $this->invalidActionParams($action);
310             else
311                 $this->afterAction($action);
312         }
313         $this->_action=$priorAction;
```

#8 /opt/www/LimeSurvey/framework/web/CController.php(286): **CController**->**runAction**(statistics)

```
281      * @see runAction
282      */
283     public function runActionWithFilters($action,$filters)
284     {
285         if(empty($filters))
286             $this->runAction($action);
287         else
288         {
289             $priorAction=$this->_action;
290             $this->_action=$action;
291             CFilterChain::create($this,$action,$filters)->run();
```

#9 /opt/www/LimeSurvey/framework/web/CController.php(265): **CController**->**runActionWithFilters**(statistics, array())

```
260         {
261             if(($parent=$this->getModule())===null)
262                 $parent=Yii::app();
263             if($parent->beforeControllerAction($this,$action))
264             {
265                 $this->runActionWithFilters($action,$this->filters());
266                 $parent->afterControllerAction($this,$action);
267             }
268         }
269         else
270             $this->missingAction($actionID);
```

#10 /opt/www/LimeSurvey/application/controllers/AdminController.php(164): **CController**->**run**("statistics")

```
159                     $this->redirect(array('/admin/authentication/sa/login'));
160                 }
161
162             }
163
164             return parent::run($action);
165     }
166
167     /**
168     * Routes all the actions to their respective places
169     *
```

#11 /opt/www/LimeSurvey/framework/web/CWebApplication.php(282): **AdminController**->**run**("statistics")

```
277         {
278             list($controller,$actionID)=$ca;
279             $oldController=$this->_controller;
280             $this->_controller=$controller;
281             $controller->init();
282             $controller->run($actionID);
283             $this->_controller=$oldController;
284         }
285         else
286             throw new CHttpException(404,Yii::t('yii','Unable to resolve the request "{route}".',
287                 array('{route}'=>$route===''?$this->defaultController:$route)));
```

#12 /opt/www/LimeSurvey/framework/web/CWebApplication.php(141): **CWebApplication**->**runController**("admin/statistics/sa/index/surveyid/971454")

```
136             foreach(array_splice($this->catchAllRequest,1) as $name=>$value)
137                 $_GET[$name]=$value;
138         }
139         else
140             $route=$this->getUrlManager()->parseUrl($this->getRequest());
141         $this->runController($route);
142     }
143
144     /**
145      * Registers the core application components.
146      * This method overrides the parent implementation by registering additional core components.
```

#13 /opt/www/LimeSurvey/framework/base/CApplication.php(185): **CWebApplication->processRequest()**

```
180     public function run()
181     {
182         if($this->hasEventHandler('onBeginRequest'))
183             $this->onBeginRequest(new CEvent($this));
184         register_shutdown_function(array($this,'end'),0,false);
185         $this->processRequest();
186         if($this->hasEventHandler('onEndRequest'))
187             $this->onEndRequest(new CEvent($this));
188     }
189
190     /**
```

#14 /opt/www/LimeSurvey/index.php(211): **CApplication->run()**

```
206         die (sprintf('%s should be writable by the webserver (766 or 776).', $runtimePath));
207     }
208 }
209
210 Yii::$enableIncludePath = false;
211 Yii::createApplication('LSYii_Application', $config)->run();
212
213 /* End of file index.php */
214 /* Location: ./index.php */
```

2016-03-10 10:47:54 Apache/2.4.10 (Debian) Yii Framework/1.1.17

Report Sommario di Profiling (Tempo: 0.52400s, Memoria: 10,124KB)

Procedura	Cont.	Totale (s)	Med. (s)	Min. (s)	Max. (s)
system.db.CDbCommand.query(SELECT * FROM `answers` WHERE qid=17534 AND language = 'it' ORDER BY `sortorder`, `code`)	8	0.01078	0.00135	0.00106	0.00176
system.db.CDbCommand.query(SELECT * FROM `answers` WHERE qid=17411 AND language = 'it' ORDER BY `sortorder`, `code`)	5	0.00803	0.00161	0.00123	0.00204
system.db.CDbCommand.query(SELECT questions.*, groups.group_name, groups.group_order FROM questions as questions, groups as groups WHERE groups.gid=questions.gid AND groups.language=:language1 AND questions.language=:language2 AND questions.parent_qid=0 AND questions.sid=:sid. Bound with :language1='it', :language2='it', :sid='971454')	1	0.00420	0.00420	0.00420	0.00420
system.db.CDbCommand.query(SELECT * FROM `answers` WHERE qid=17536 AND language = 'it' ORDER BY `sortorder`, `code`)	3	0.00384	0.00128	0.00126	0.00130
system.db.CDbCommand.query(SELECT count(*) FROM survey_971454 WHERE `971454X1203X17328` = '38' AND submitdate is not null AND `971454X1203X17328` IN ('26', '27', '28', '29', '30', '31', '32'))	1	0.00335	0.00335	0.00335	0.00335
system.db.CDbCommand.query(SHOW FULL COLUMNS FROM `surveys`)	1	0.00244	0.00244	0.00244	0.00244
system.db.CDbCommand.query(SELECT title, type, question, qid, parent_qid, other FROM questions WHERE qid='17328' AND parent_qid=0 and language='it')	1	0.00230	0.00230	0.00230	0.00230
system.db.CDbCommand.query(SELECT count(*) FROM survey_971454 WHERE `971454X1203X17328` = '30' AND submitdate is not null AND `971454X1203X17328` IN ('26', '27', '28', '29', '30', '31', '32'))	1	0.00209	0.00209	0.00209	0.00209
system.db.CDbCommand.query(SELECT `code`, `answer` FROM `answers` WHERE qid=17560 AND language = 'it' ORDER BY `sortorder`, `answer`)	1	0.00202	0.00202	0.00202	0.00202
system.db.CDbCommand.query(SELECT count(*) FROM survey_971454 WHERE `971454X1203X17328` = '26' AND submitdate is not null AND `971454X1203X17328` IN ('26', '27', '28', '29', '30', '31', '32'))	1	0.00199	0.00199	0.00199	0.00199
system.db.CDbCommand.query(SELECT count(*) FROM survey_971454 WHERE `971454X1203X17328` = '57' AND submitdate is not null AND `971454X1203X17328` IN ('26', '27', '28', '29', '30', '31', '32'))	1	0.00199	0.00199	0.00199	0.00199
system.db.CDbCommand.query(SELECT count(*) FROM survey_971454 WHERE `971454X1203X17328` = '42' AND submitdate is not null AND `971454X1203X17328` IN ('26', '27', '28', '29', '30', '31', '32'))	1	0.00197	0.00197	0.00197	0.00197
system.db.CDbCommand.query(SHOW FULL COLUMNS FROM `questions`)	1	0.00193	0.00193	0.00193	0.00193
system.db.CDbCommand.query(SELECT `code`, `answer` FROM `answers` WHERE qid=17667 AND language = 'it' ORDER BY `sortorder`, `answer`)	1	0.00193	0.00193	0.00193	0.00193
system.db.CDbCommand.query(SHOW FULL COLUMNS FROM `settings_global`)	1	0.00191	0.00191	0.00191	0.00191
system.db.CDbCommand.query(SELECT `code`, `answer` FROM `answers` WHERE qid=17578 AND language = 'it' ORDER BY `sortorder`, `answer`)	1	0.00187	0.00187	0.00187	0.00187
system.db.CDbCommand.query(SHOW FULL COLUMNS FROM `templates`)	1	0.00182	0.00182	0.00182	0.00182
system.db.CDbCommand.query(SHOW FULL COLUMNS FROM `permissions`)	1	0.00182	0.00182	0.00182	0.00182
system.db.CDbCommand.query(SELECT `code`, `answer` FROM `answers` WHERE qid=17561 AND language = 'it' ORDER BY `sortorder`, `answer`)	1	0.00180	0.00180	0.00180	0.00180
system.db.CDbCommand.query(SELECT `code`, `answer` FROM `answers` WHERE qid=17571 AND language = 'it' ORDER BY `sortorder`, `answer`)	1	0.00180	0.00180	0.00180	0.00180
system.db.CDbCommand.query(SELECT `title`, `question` FROM `questions` WHERE parent_qid = 19021 AND language = 'it' ORDER BY `question_order`)	1	0.00179	0.00179	0.00179	0.00179
system.db.CDbCommand.query(SELECT count(*) FROM survey_971454 WHERE submitdate is not null)	1	0.00179	0.00179	0.00179	0.00179
system.db.CDbCommand.query(SELECT count(*) FROM survey_971454 WHERE `971454X1203X17328` = '58' AND submitdate is not null AND `971454X1203X17328` IN ('26', '27', '28', '29', '30', '31', '32'))	1	0.00178	0.00178	0.00178	0.00178
system.db.CDbCommand.query(SELECT count(*) FROM survey_971454 WHERE `971454X1203X17328` = '27' AND submitdate is not null AND `971454X1203X17328` IN ('26', '27', '28', '29', '30', '31', '32'))	1	0.00176	0.00176	0.00176	0.00176
system.db.CDbCommand.query(SELECT `code`, `answer` FROM `answers` WHERE qid=17573 AND language = 'it' ORDER BY `sortorder`, `answer`)	1	0.00176	0.00176	0.00176	0.00176
system.db.CDbCommand.query(SELECT count(*) FROM survey_971454 WHERE `971454X1203X17328` = '71' AND submitdate is not null AND `971454X1203X17328` IN ('26', '27', '28', '29', '30', '31', '32'))	1	0.00170	0.00170	0.00170	0.00170
system.db.CDbCommand.query(SELECT `code`, `answer` FROM `answers` WHERE qid=19030 AND language = 'it' ORDER BY `sortorder`, `answer`)	1	0.00167	0.00167	0.00167	0.00167
system.db.CDbCommand.query(SELECT count(*) FROM survey_971454 WHERE `971454X1203X17328` = '52' AND submitdate is not null AND `971454X1203X17328` IN ('26', '27', '28', '29', '30', '31', '32'))	1	0.00166	0.00166	0.00166	0.00166
system.db.CDbCommand.query(SHOW FULL COLUMNS FROM `plugins`)	1	0.00166	0.00166	0.00166	0.00166
system.db.CDbCommand.query(SELECT count(*) FROM survey_971454 WHERE `971454X1203X17328` = '66' AND submitdate is not null AND `971454X1203X17328` IN ('26', '27', '28', '29', '30', '31', '32'))	1	0.00166	0.00166	0.00166	0.00166
system.db.CDbCommand.query(SELECT `title` AS `code`, `question` AS `answer` FROM `questions` WHERE parent_qid=17392 AND language = 'it' ORDER BY `question_order`)	1	0.00166	0.00166	0.00166	0.00166
system.db.CDbCommand.query(SELECT `code`, `answer` FROM `answers` WHERE qid=17572 AND language = 'it' ORDER BY `sortorder`, `answer`)	1	0.00164	0.00164	0.00164	0.00164
system.db.CDbCommand.query(SHOW CREATE TABLE `surveys`)	1	0.00163	0.00163	0.00163	0.00163
system.db.CDbCommand.query(SHOW FULL COLUMNS FROM `answers`)	1	0.00162	0.00162	0.00162	0.00162
system.db.CDbCommand.query(SELECT * FROM `settings_global` `t`)	1	0.00157	0.00157	0.00157	0.00157
system.db.CDbCommand.query(SELECT * FROM `surveys` `t` WHERE `t`.`sid`=971454 LIMIT 1)	1	0.00156	0.00156	0.00156	0.00156
system.db.CDbCommand.query(SELECT count(*) FROM survey_971454 WHERE `971454X1203X17328` = '62' AND submitdate is not null AND `971454X1203X17328` IN ('26', '27', '28', '29', '30', '31', '32'))	1	0.00153	0.00153	0.00153	0.00153
system.db.CDbCommand.query(SELECT count(*) FROM survey_971454 WHERE `971454X1203X17328` = '65' AND submitdate is not null AND `971454X1203X17328` IN ('26', '27', '28', '29', '30', '31', '32'))	1	0.00152	0.00152	0.00152	0.00152
system.db.CDbCommand.query(SELECT count(*) FROM survey_971454 WHERE `971454X1203X17328` = '34' AND submitdate is not null AND `971454X1203X17328` IN ('26', '27', '28', '29', '30', '31', '32'))	1	0.00152	0.00152	0.00152	0.00152
system.db.CDbCommand.query(SELECT count(*) FROM survey_971454 WHERE `971454X1203X17328` = '49' AND submitdate is not null AND `971454X1203X17328` IN ('26', '27', '28', '29', '30', '31', '32'))	1	0.00151	0.00151	0.00151	0.00151
system.db.CDbCommand.query(SELECT `code`, `answer` FROM `answers` WHERE qid=17409 AND language = 'it' ORDER BY `sortorder`, `answer`)	1	0.00151	0.00151	0.00151	0.00151
system.db.CDbCommand.query(SELECT `title` AS `code`, `question` AS `answer` FROM `questions` WHERE parent_qid=17388 AND language = 'it' ORDER BY `question_order`)	1	0.00151	0.00151	0.00151	0.00151
system.db.CDbCommand.query(SELECT `title`, `question` FROM `questions` WHERE parent_qid = 17397 AND language = 'it' ORDER BY `question_order`)	1	0.00151	0.00151	0.00151	0.00151
system.db.CDbCommand.query(SELECT count(*) FROM survey_971454 WHERE `971454X1203X17328` = '70' AND submitdate is not null AND `971454X1203X17328` IN ('26', '27', '28', '29', '30', '31', '32'))	1	0.00150	0.00150	0.00150	0.00150
system.db.CDbCommand.query(SELECT count(*) FROM survey_971454 WHERE `971454X1203X17328` = '35' AND submitdate is not null AND `971454X1203X17328` IN ('26', '27', '28', '29', '30', '31', '32'))	1	0.00149	0.00149	0.00149	0.00149
system.db.CDbCommand.query(SELECT `title`, `question` FROM `questions` WHERE parent_qid = 17399 AND language = 'it' ORDER BY `question_order`)	1	0.00149	0.00149	0.00149	0.00149
system.db.CDbCommand.query(SELECT `title`, `question` FROM `questions` WHERE parent_qid = 17339 AND language = 'it' ORDER BY `question_order`)	1	0.00148	0.00148	0.00148	0.00148
system.db.CDbCommand.query(SELECT `code`, `answer` FROM `answers` WHERE qid=17562 AND language = 'it' ORDER BY `sortorder`, `answer`)	1	0.00146	0.00146	0.00146	0.00146
system.db.CDbCommand.query(SELECT `title`, `question` FROM `questions` WHERE parent_qid = 17585 AND language = 'it' ORDER BY `question_order`)	1	0.00146	0.00146	0.00146	0.00146
system.db.CDbCommand.query(SELECT `code`, `answer` FROM `answers` WHERE qid=19028 AND language = 'it' ORDER BY `sortorder`, `answer`)	1	0.00145	0.00145	0.00145	0.00145
system.db.CDbCommand.query(SELECT `title` AS `code`, `question` AS `answer` FROM `questions` WHERE parent_qid=17390 AND language = 'it' ORDER BY `question_order`)	1	0.00145	0.00145	0.00145	0.00145
system.db.CDbCommand.query(SELECT `code`, `answer` FROM `answers` WHERE qid=17329 AND language = 'it' ORDER BY `sortorder`, `answer`)	1	0.00144	0.00144	0.00144	0.00144
system.db.CDbCommand.query(SHOW CREATE TABLE `questions`)	1	0.00144	0.00144	0.00144	0.00144
system.db.CDbCommand.query(SELECT `code`, `answer` FROM `answers` WHERE qid=19027 AND language = 'it' ORDER BY `sortorder`, `answer`)	1	0.00144	0.00144	0.00144	0.00144
system.db.CDbCommand.query(SELECT `title`, `question` FROM `questions` WHERE parent_qid = 18991 AND language = 'it' ORDER BY `question_order`)	1	0.00143	0.00143	0.00143	0.00143
system.db.CDbCommand.query(SELECT `code`, `answer` FROM `answers` WHERE qid=17559 AND language = 'it' ORDER BY `sortorder`, `answer`)	1	0.00142	0.00142	0.00142	0.00142
system.db.CDbCommand.query(SELECT count(*) FROM survey_971454 WHERE `971454X1203X17328` = '39' AND submitdate is not null AND `971454X1203X17328` IN ('26', '27', '28', '29', '30', '31', '32'))	1	0.00141	0.00141	0.00141	0.00141
system.db.CDbCommand.query(SELECT `title`, `question` FROM `questions` WHERE parent_qid = 17670 AND language = 'it' ORDER BY `question_order`)	1	0.00141	0.00141	0.00141	0.00141
system.db.CDbCommand.query(SELECT count(*) FROM survey_971454 WHERE `971454X1203X17328` = '46' AND submitdate is not null AND `971454X1203X17328` IN ('26', '27', '28', '29', '30', '31', '32'))	1	0.00139	0.00139	0.00139	0.00139
system.db.CDbCommand.query(SELECT `code`, `answer` FROM `answers` WHERE qid=17586 AND language = 'it' ORDER BY `sortorder`, `answer`)	1	0.00139	0.00139	0.00139	0.00139
system.db.CDbCommand.query(SELECT count(*) FROM survey_971454 WHERE `971454X1203X17328` = '61' AND submitdate is not null AND `971454X1203X17328` IN ('26', '27', '28', '29', '30', '31', '32'))	1	0.00139	0.00139	0.00139	0.00139
system.db.CDbCommand.query(SELECT `code`, `answer` FROM `answers` WHERE qid=19284 AND language = 'it' ORDER BY `sortorder`, `answer`)	1	0.00139	0.00139	0.00139	0.00139
system.db.CDbCommand.query(SELECT count(*) FROM survey_971454 WHERE `971454X1203X17328` = '47' AND submitdate is not null AND `971454X1203X17328` IN ('26', '27', '28', '29', '30', '31', '32'))	1	0.00139	0.00139	0.00139	0.00139
system.db.CDbCommand.query(SELECT `code`, `answer` FROM `answers` WHERE qid=17338 AND language = 'it' ORDER BY `sortorder`, `answer`)	1	0.00138	0.00138	0.00138	0.00138
system.db.CDbCommand.query(SELECT `title`, `question` FROM `questions` WHERE parent_qid = 17342 AND language = 'it' ORDER BY `question_order`)	1	0.00138	0.00138	0.00138	0.00138
system.db.CDbCommand.query(SELECT `title`, `question` FROM `questions` WHERE parent_qid = 17335 AND language = 'it' ORDER BY `question_order`)	1	0.00137	0.00137	0.00137	0.00137
system.db.CDbCommand.query(SELECT `code`, `answer` FROM `answers` WHERE qid=17341 AND language = 'it' ORDER BY `sortorder`, `answer`)	1	0.00136	0.00136	0.00136	0.00136
system.db.CDbCommand.query(SELECT code, answer FROM answers WHERE qid='17328' AND scale_id=0 AND language='it' ORDER BY sortorder, answer)	1	0.00136	0.00136	0.00136	0.00136
system.db.CDbCommand.query(SELECT `code`, `answer` FROM `answers` WHERE qid=17673 AND language = 'it' ORDER BY `sortorder`, `answer`)	1	0.00135	0.00135	0.00135	0.00135
system.db.CDbCommand.query(SELECT `code`, `answer` FROM `answers` WHERE qid=17404 AND language = 'it' ORDER BY `sortorder`, `answer`)	1	0.00135	0.00135	0.00135	0.00135
system.db.CDbCommand.query(SELECT `code`, `answer` FROM `answers` WHERE qid=17592 AND language = 'it' ORDER BY `sortorder`, `answer`)	1	0.00134	0.00134	0.00134	0.00134
system.db.CDbCommand.query(SELECT `code`, `answer` FROM `answers` WHERE qid=17328 AND language = 'it' ORDER BY `sortorder`, `answer`)	1	0.00134	0.00134	0.00134	0.00134
system.db.CDbCommand.query(SELECT count(*) FROM survey_971454 WHERE `971454X1203X17328` = '64' AND submitdate is not null AND `971454X1203X17328` IN ('26', '27', '28', '29', '30', '31', '32'))	1	0.00133	0.00133	0.00133	0.00133
system.db.CDbCommand.query(SELECT count(*) FROM survey_971454 WHERE `971454X1203X17328` = '45' AND submitdate is not null AND `971454X1203X17328` IN ('26', '27', '28', '29', '30', '31', '32'))	1	0.00133	0.00133	0.00133	0.00133
system.db.CDbCommand.query(SELECT count(*) FROM survey_971454 WHERE `971454X1203X17328` = '28' AND submitdate is not null AND `971454X1203X17328` IN ('26', '27', '28', '29', '30', '31', '32'))	1	0.00132	0.00132	0.00132	0.00132
system.db.CDbCommand.query(SELECT `code`, `answer` FROM `answers` WHERE qid=17400 AND language = 'it' ORDER BY `sortorder`, `answer`)	1	0.00131	0.00131	0.00131	0.00131
system.db.CDbCommand.query(SELECT `title`, `question` FROM `questions` WHERE parent_qid = 17671 AND language = 'it' ORDER BY `question_order`)	1	0.00131	0.00131	0.00131	0.00131
system.db.CDbCommand.query(SELECT `title`, `question` FROM `questions` WHERE parent_qid = 17669 AND language = 'it' ORDER BY `question_order`)	1	0.00131	0.00131	0.00131	0.00131

system.db.CDbCommand.query(SELECT count(*) FROM survey_971454 WHERE (`971454X1203X17328`::text = '' OR `971454X1203X17328`::text = ' ') AND submitdate is not null AND `971454X1203X17328` IN ('26', '27', '28', '29', '30', '31', '32'))	1	0.00131	0.00131	0.00131	0.00131
system.db.CDbCommand.query(SELECT `title`, `question` FROM `questions` WHERE parent_qid = 17410 AND language = 'it' ORDER BY `question_order`)	1	0.00131	0.00131	0.00131	0.00131
system.db.CDbCommand.query(SELECT `title`, `question` FROM `questions` WHERE parent_qid = 17407 AND language = 'it' ORDER BY `question_order`)	1	0.00131	0.00131	0.00131	0.00131
system.db.CDbCommand.query(SELECT `code`, `answer` FROM `answers` WHERE qid=17589 AND language = 'it' ORDER BY `sortorder`, `answer`)	1	0.00131	0.00131	0.00131	0.00131
system.db.CDbCommand.query(SELECT `code`, `answer` FROM `answers` WHERE qid=17584 AND language = 'it' ORDER BY `sortorder`, `answer`)	1	0.00130	0.00130	0.00130	0.00130
system.db.CDbCommand.query(SELECT * FROM `surveys` `t` WHERE sid = :sid LIMIT 1. Bound with :sid='971454')	1	0.00130	0.00130	0.00130	0.00130
system.db.CDbCommand.query(SELECT count(*) FROM survey_971454 WHERE `971454X1203X17328` = '41' AND submitdate is not null AND `971454X1203X17328` IN ('26', '27', '28', '29', '30', '31', '32'))	1	0.00129	0.00129	0.00129	0.00129
system.db.CDbCommand.query(SELECT `title`, `question` FROM `questions` WHERE parent_qid = 17332 AND language = 'it' ORDER BY `question_order`)	1	0.00129	0.00129	0.00129	0.00129
system.db.CDbCommand.query(SELECT `title`, `question` FROM `questions` WHERE parent_qid = 17537 AND language = 'it' ORDER BY `question_order`)	1	0.00129	0.00129	0.00129	0.00129
system.db.CDbCommand.query(SELECT `title`, `question` FROM `questions` WHERE parent_qid = 17588 AND language = 'it' ORDER BY `question_order`)	1	0.00128	0.00128	0.00128	0.00128
system.db.CDbCommand.query(SHOW CREATE TABLE `permissions`)	1	0.00128	0.00128	0.00128	0.00128
system.db.CDbCommand.query(SELECT `code`, `answer` FROM `answers` WHERE qid=17558 AND language = 'it' ORDER BY `sortorder`, `answer`)	1	0.00128	0.00128	0.00128	0.00128
system.db.CDbCommand.query(SELECT `code`, `answer` FROM `answers` WHERE qid=17564 AND language = 'it' ORDER BY `sortorder`, `answer`)	1	0.00128	0.00128	0.00128	0.00128
system.db.CDbCommand.query(SELECT count(*) FROM survey_971454 WHERE `971454X1203X17328` = '69' AND submitdate is not null AND `971454X1203X17328` IN ('26', '27', '28', '29', '30', '31', '32'))	1	0.00127	0.00127	0.00127	0.00127
system.db.CDbCommand.query(SELECT `code`, `answer` FROM `answers` WHERE qid=17570 AND language = 'it' ORDER BY `sortorder`, `answer`)	1	0.00127	0.00127	0.00127	0.00127
system.db.CDbCommand.query(SELECT `code`, `answer` FROM `answers` WHERE qid=17330 AND language = 'it' ORDER BY `sortorder`, `answer`)	1	0.00127	0.00127	0.00127	0.00127
system.db.CDbCommand.query(SELECT count(*) FROM survey_971454 WHERE `971454X1203X17328` = '56' AND submitdate is not null AND `971454X1203X17328` IN ('26', '27', '28', '29', '30', '31', '32'))	1	0.00126	0.00126	0.00126	0.00126
system.db.CDbCommand.query(SELECT `title`, `question` FROM `questions` WHERE parent_qid=17411 AND language = 'it' ORDER BY `question_order`)	1	0.00126	0.00126	0.00126	0.00126
system.db.CDbCommand.query(SHOW CREATE TABLE `settings_global`)	1	0.00126	0.00126	0.00126	0.00126
system.db.CDbCommand.query(SELECT `code`, `answer` FROM `answers` WHERE qid=17574 AND language = 'it' ORDER BY `sortorder`, `answer`)	1	0.00126	0.00126	0.00126	0.00126
system.db.CDbCommand.query(SELECT count(*) FROM survey_971454 WHERE `971454X1203X17328` = '67' AND submitdate is not null AND `971454X1203X17328` IN ('26', '27', '28', '29', '30', '31', '32'))	1	0.00125	0.00125	0.00125	0.00125
system.db.CDbCommand.query(SELECT `code`, `answer` FROM `answers` WHERE qid=17577 AND language = 'it' ORDER BY `sortorder`, `answer`)	1	0.00125	0.00125	0.00125	0.00125
system.db.CDbCommand.query(SELECT count(*) FROM survey_971454 WHERE `971454X1203X17328` = '53' AND submitdate is not null AND `971454X1203X17328` IN ('26', '27', '28', '29', '30', '31', '32'))	1	0.00125	0.00125	0.00125	0.00125
system.db.CDbCommand.query(SELECT `code`, `answer` FROM `answers` WHERE qid=17597 AND language = 'it' ORDER BY `sortorder`, `answer`)	1	0.00125	0.00125	0.00125	0.00125
system.db.CDbCommand.query(SELECT `code`, `answer` FROM `answers` WHERE qid=17405 AND language = 'it' ORDER BY `sortorder`, `answer`)	1	0.00125	0.00125	0.00125	0.00125
system.db.CDbCommand.query(SELECT `code`, `answer` FROM `answers` WHERE qid=17567 AND language = 'it' ORDER BY `sortorder`, `answer`)	1	0.00125	0.00125	0.00125	0.00125
system.db.CDbCommand.query(SELECT `code`, `answer` FROM `answers` WHERE qid=17593 AND language = 'it' ORDER BY `sortorder`, `answer`)	1	0.00125	0.00125	0.00125	0.00125
system.db.CDbCommand.query(SELECT * FROM `plugins` `t` WHERE `t`.`active`=:yp0. Bound with :yp0=1)	1	0.00125	0.00125	0.00125	0.00125
system.db.CDbCommand.query(SELECT `title`, `question` FROM `questions` WHERE parent_qid=17534 AND language = 'it' ORDER BY `question_order`)	1	0.00125	0.00125	0.00125	0.00125
system.db.CDbCommand.query(SELECT `code`, `answer` FROM `answers` WHERE qid=17665 AND language = 'it' ORDER BY `sortorder`, `answer`)	1	0.00124	0.00124	0.00124	0.00124
system.db.CDbCommand.query(SELECT count(*) FROM survey_971454 WHERE `971454X1203X17328` = '54' AND submitdate is not null AND `971454X1203X17328` IN ('26', '27', '28', '29', '30', '31', '32'))	1	0.00124	0.00124	0.00124	0.00124
system.db.CDbCommand.query(SELECT `code`, `answer` FROM `answers` WHERE qid=17672 AND language = 'it' ORDER BY `sortorder`, `answer`)	1	0.00124	0.00124	0.00124	0.00124
system.db.CDbCommand.query(SELECT `code`, `answer` FROM `answers` WHERE qid=17689 AND language = 'it' ORDER BY `sortorder`, `answer`)	1	0.00124	0.00124	0.00124	0.00124
system.db.CDbCommand.query(SELECT `code`, `answer` FROM `answers` WHERE qid=17406 AND language = 'it' ORDER BY `sortorder`, `answer`)	1	0.00123	0.00123	0.00123	0.00123
system.db.CDbCommand.query(SELECT count(*) FROM survey_971454 WHERE `971454X1203X17328` = '29' AND submitdate is not null AND `971454X1203X17328` IN ('26', '27', '28', '29', '30', '31', '32'))	1	0.00123	0.00123	0.00123	0.00123
system.db.CDbCommand.query(SELECT `title`, `question` FROM `questions` WHERE parent_qid = 17598 AND language = 'it' ORDER BY `question_order`)	1	0.00123	0.00123	0.00123	0.00123
system.db.CDbCommand.query(SELECT `code`, `answer` FROM `answers` WHERE qid=17594 AND language = 'it' ORDER BY `sortorder`, `answer`)	1	0.00122	0.00122	0.00122	0.00122
system.db.CDbCommand.query(SELECT `title`, `question` FROM `questions` WHERE parent_qid = 17591 AND language = 'it' ORDER BY `question_order`)	1	0.00122	0.00122	0.00122	0.00122
system.db.CDbCommand.query(SELECT `title`, `question` FROM `questions` WHERE parent_qid = 17595 AND language = 'it' ORDER BY `question_order`)	1	0.00122	0.00122	0.00122	0.00122
system.db.CDbCommand.query(SELECT `code`, `answer` FROM `answers` WHERE qid=17599 AND language = 'it' ORDER BY `sortorder`, `answer`)	1	0.00121	0.00121	0.00121	0.00121
system.db.CDbCommand.query(SELECT `code`, `answer` FROM `answers` WHERE qid=17336 AND language = 'it' ORDER BY `sortorder`, `answer`)	1	0.00121	0.00121	0.00121	0.00121
system.db.CDbCommand.query(SELECT `code`, `answer` FROM `answers` WHERE qid=17412 AND language = 'it' ORDER BY `sortorder`, `answer`)	1	0.00121	0.00121	0.00121	0.00121
system.db.CDbCommand.query(SELECT `code`, `answer` FROM `answers` WHERE qid=17666 AND language = 'it' ORDER BY `sortorder`, `answer`)	1	0.00121	0.00121	0.00121	0.00121
system.db.CDbCommand.query(SELECT count(*) FROM survey_971454 WHERE `971454X1203X17328` = '59' AND submitdate is not null AND `971454X1203X17328` IN ('26', '27', '28', '29', '30', '31', '32'))	1	0.00121	0.00121	0.00121	0.00121
system.db.CDbCommand.query(SELECT `title`, `question` FROM `questions` WHERE parent_qid = 17333 AND language = 'it' ORDER BY `question_order`)	1	0.00120	0.00120	0.00120	0.00120
system.db.CDbCommand.query(SELECT `code`, `answer` FROM `answers` WHERE qid=17403 AND language = 'it' ORDER BY `sortorder`, `answer`)	1	0.00120	0.00120	0.00120	0.00120
system.db.CDbCommand.query(SELECT `code`, `answer` FROM `answers` WHERE qid=17398 AND language = 'it' ORDER BY `sortorder`, `answer`)	1	0.00120	0.00120	0.00120	0.00120
system.db.CDbCommand.query(SELECT `code`, `answer` FROM `answers` WHERE qid=17331 AND language = 'it' ORDER BY `sortorder`, `answer`)	1	0.00120	0.00120	0.00120	0.00120
system.db.CDbCommand.query(SELECT `code`, `answer` FROM `answers` WHERE qid=17587 AND language = 'it' ORDER BY `sortorder`, `answer`)	1	0.00119	0.00119	0.00119	0.00119
system.db.CDbCommand.query(SELECT `code`, `answer` FROM `answers` WHERE qid=17668 AND language = 'it' ORDER BY `sortorder`, `answer`)	1	0.00119	0.00119	0.00119	0.00119
system.db.CDbCommand.query(SELECT `code`, `answer` FROM `answers` WHERE qid=17581 AND language = 'it' ORDER BY `sortorder`, `answer`)	1	0.00119	0.00119	0.00119	0.00119
system.db.CDbCommand.query(SELECT count(*) FROM survey_971454 WHERE `971454X1203X17328` = '68' AND submitdate is not null AND `971454X1203X17328` IN ('26', '27', '28', '29', '30', '31', '32'))	1	0.00119	0.00119	0.00119	0.00119
system.db.CDbCommand.query(SELECT `code`, `answer` FROM `answers` WHERE qid=17401 AND language = 'it' ORDER BY `sortorder`, `answer`)	1	0.00119	0.00119	0.00119	0.00119
system.db.CDbCommand.query(SELECT `title`, `question` FROM `questions` WHERE parent_qid = 17600 AND language = 'it' ORDER BY `question_order`)	1	0.00119	0.00119	0.00119	0.00119
system.db.CDbCommand.query(SELECT `code`, `answer` FROM `answers` WHERE qid=19029 AND language = 'it' ORDER BY `sortorder`, `answer`)	1	0.00118	0.00118	0.00118	0.00118
system.db.CDbCommand.query(SELECT * FROM `permissions` `t` WHERE `t`.`entity_id`=:yp0 AND `t`.`entity`=:yp1 AND `t`.`uid`=:yp2 AND `t`.`permission`=:yp3 LIMIT 1. Bound with :yp0=0, :yp1='global', :yp2=1, :yp3='superadmin')	1	0.00117	0.00117	0.00117	0.00117
system.db.CDbCommand.query(SELECT count(*) FROM survey_971454 WHERE `971454X1203X17328` = '55' AND submitdate is not null AND `971454X1203X17328` IN ('26', '27', '28', '29', '30', '31', '32'))	1	0.00117	0.00117	0.00117	0.00117
system.db.CDbCommand.query(SELECT `code`, `answer` FROM `answers` WHERE qid=17568 AND language = 'it' ORDER BY `sortorder`, `answer`)	1	0.00116	0.00116	0.00116	0.00116
system.db.CDbCommand.query(SELECT count(*) FROM survey_971454 WHERE `971454X1203X17328` = '33' AND submitdate is not null AND `971454X1203X17328` IN ('26', '27', '28', '29', '30', '31', '32'))	1	0.00116	0.00116	0.00116	0.00116
system.db.CDbCommand.query(SELECT `title`, `question` FROM `questions` WHERE parent_qid = 19014 AND language = 'it' ORDER BY `question_order`)	1	0.00115	0.00115	0.00115	0.00115
system.db.CDbCommand.query(SELECT count(*) FROM survey_971454 WHERE `971454X1203X17328` = '50' AND submitdate is not null AND `971454X1203X17328` IN ('26', '27', '28', '29', '30', '31', '32'))	1	0.00114	0.00114	0.00114	0.00114
system.db.CDbCommand.query(SELECT `code`, `answer` FROM `answers` WHERE qid=17590 AND language = 'it' ORDER BY `sortorder`, `answer`)	1	0.00113	0.00113	0.00113	0.00113
system.db.CDbCommand.query(SELECT count(*) FROM survey_971454 WHERE `971454X1203X17328` = '40' AND submitdate is not null AND `971454X1203X17328` IN ('26', '27', '28', '29', '30', '31', '32'))	1	0.00112	0.00112	0.00112	0.00112
system.db.CDbCommand.query(SHOW CREATE TABLE `templates`)	1	0.00112	0.00112	0.00112	0.00112
system.db.CDbCommand.query(SELECT `title`, `question` FROM `questions` WHERE parent_qid = 17334 AND language = 'it' ORDER BY `question_order`)	1	0.00112	0.00112	0.00112	0.00112
system.db.CDbCommand.query(SELECT `title` AS `code`, `question` AS `answer` FROM `questions` WHERE parent_qid=17394 AND language = 'it' ORDER BY `question_order`)	1	0.00111	0.00111	0.00111	0.00111
system.db.CDbCommand.query(SELECT `code`, `answer` FROM `answers` WHERE qid=17565 AND language = 'it' ORDER BY `sortorder`, `answer`)	1	0.00111	0.00111	0.00111	0.00111
system.db.CDbCommand.query(SELECT count(*) FROM survey_971454 WHERE `971454X1203X17328` = '60' AND submitdate is not null AND `971454X1203X17328` IN ('26', '27', '28', '29', '30', '31', '32'))	1	0.00111	0.00111	0.00111	0.00111
system.db.CDbCommand.query(SELECT `code`, `answer` FROM `answers` WHERE qid=19026 AND language = 'it' ORDER BY `sortorder`, `answer`)	1	0.00111	0.00111	0.00111	0.00111
system.db.CDbCommand.query(SELECT `title`, `question` FROM `questions` WHERE parent_qid=17536 AND language = 'it' ORDER BY `question_order`)	1	0.00110	0.00110	0.00110	0.00110
system.db.CDbCommand.query(SELECT `code`, `answer` FROM `answers` WHERE qid=17396 AND language = 'it' ORDER BY `sortorder`, `answer`)	1	0.00109	0.00109	0.00109	0.00109
system.db.CDbCommand.query(SELECT count(*) FROM survey_971454 WHERE `971454X1203X17328` = '63' AND submitdate is not null AND `971454X1203X17328` IN ('26', '27', '28', '29', '30', '31', '32'))	1	0.00109	0.00109	0.00109	0.00109
system.db.CDbCommand.query(SHOW CREATE TABLE `answers`)	1	0.00108	0.00108	0.00108	0.00108
system.db.CDbCommand.query(SELECT count(*) FROM survey_971454 WHERE `971454X1203X17328` = '31' AND submitdate is not null AND `971454X1203X17328` IN ('26', '27', '28', '29', '30', '31', '32'))	1	0.00108	0.00108	0.00108	0.00108
system.db.CDbCommand.query(SELECT `title`, `question` FROM `questions` WHERE parent_qid = 17413 AND language = 'it' ORDER BY `question_order`)	1	0.00108	0.00108	0.00108	0.00108
system.db.CDbCommand.query(SELECT count(*) FROM survey_971454 WHERE `971454X1203X17328` = '36' AND submitdate is not null AND `971454X1203X17328` IN ('26', '27', '28', '29', '30', '31', '32'))	1	0.00107	0.00107	0.00107	0.00107
system.db.CDbCommand.query(SELECT count(*) FROM survey_971454 WHERE `971454X1203X17328` = '48' AND submitdate is not null AND `971454X1203X17328` IN ('26', '27', '28', '29', '30', '31', '32'))	1	0.00107	0.00107	0.00107	0.00107
system.db.CDbCommand.query(SELECT count(*) FROM survey_971454 WHERE submitdate is not null AND `971454X1203X17328` IN ('26', '27', '28', '29', '30', '31', '32'))	1	0.00106	0.00106	0.00106	0.00106
system.db.CDbCommand.query(SELECT `title`, `question` FROM `questions` WHERE parent_qid = 17596 AND language = 'it' ORDER BY `question_order`)	1	0.00106	0.00106	0.00106	0.00106
system.db.CDbCommand.query(SELECT `code`, `answer` FROM `answers` WHERE qid=17402 AND language = 'it' ORDER BY `sortorder`, `answer`)	1	0.00105	0.00105	0.00105	0.00105
system.db.CDbCommand.query(SHOW CREATE TABLE `plugins`)	1	0.00102	0.00102	0.00102	0.00102
system.db.CDbCommand.query(SELECT count(*) FROM survey_971454 WHERE `971454X1203X17328` = '44' AND submitdate is not null AND `971454X1203X17328` IN ('26', '27', '28', '29', '30', '31', '32'))	1	0.00102	0.00102	0.00102	0.00102
system.db.CDbCommand.query(SELECT count(*) FROM survey_971454 WHERE `971454X1203X17328` = '51' AND submitdate is not null AND `971454X1203X17328` IN ('26', '27', '28', '29', '30', '31', '32'))	1	0.00097	0.00097	0.00097	0.00097
system.db.CDbCommand.query(SELECT count(*) FROM survey_971454 WHERE `971454X1203X17328` = '37' AND submitdate is not null AND `971454X1203X17328` IN ('26', '27', '28', '29', '30', '31', '32'))	1	0.00096	0.00096	0.00096	0.00096
system.db.CDbCommand.query(SELECT `code`, `answer` FROM `answers` WHERE qid=17408 AND language = 'it' ORDER BY `sortorder`, `answer`)	1	0.00095	0.00095	0.00095	0.00095
system.db.CDbCommand.query(SELECT count(*) FROM survey_971454 WHERE `971454X1203X17328` = '43' AND submitdate is not null AND `971454X1203X17328` IN ('26', '27', '28', '29', '30', '31', '32'))	1	0.00092	0.00092	0.00092	0.00092
system.db.CDbCommand.query(SELECT count(*) FROM survey_971454 WHERE `971454X1203X17328` = '32' AND submitdate is not null AND `971454X1203X17328` IN ('26', '27', '28', '29', '30', '31', '32'))	1	0.00092	0.00092	0.00092	0.00092