

PHP Version 5.4.16



System	Linux cmglimepollarge 3.10.0-123.8.1.el7.x86_64 #1 SMP Mon Sep 22 19:06:58 UTC 2014 x86_64
Build Date	Jun 23 2015 21:18:22
Server API	Apache 2.0 Handler
Virtual Directory Support	disabled
Configuration File (php.ini) Path	/etc
Loaded Configuration File	/etc/php.ini
Scan this dir for additional .ini files	/etc/php.d
Additional .ini files parsed	/etc/php.d/curl.ini, /etc/php.d/dom.ini, /etc/php.d/fileinfo.ini, /etc/php.d/gd.ini, /etc/php.d/json.ini, /etc/php.d/ldap.ini, /etc/php.d/mbstring.ini, /etc/php.d/mysql.ini, /etc/php.d/mysqli.ini, /etc/php.d/pdo.ini, /etc/php.d/pdo_mysql.ini, /etc/php.d/pdo_pgsql.ini, /etc/php.d/pdo_sqlite.ini, /etc/php.d/pgsql.ini, /etc/php.d/phar.ini, /etc/php.d/sqlite3.ini, /etc/php.d/wddx.ini, /etc/php.d/xmlreader.ini, /etc/php.d/xmlwriter.ini, /etc/php.d/xsl.ini, /etc/php.d/zip.ini
PHP API	20100412
PHP Extension	20100525
Zend Extension	220100525
Zend Extension Build	API220100525,NTS
PHP Extension Build	API20100525,NTS
Debug Build	no
Thread Safety	disabled
Zend Signal Handling	disabled
Zend Memory Manager	enabled
Zend Multibyte Support	provided by mbstring
IPv6 Support	enabled
DTrace Support	disabled
Registered PHP Streams	https, ftps, compress.zlib, compress.bzip2, php, file, glob, data, http, ftp, phar, zip
Registered Stream Socket Transports	tcp, udp, unix, udg, ssl, sslv3, sslv2, tls
Registered Stream Filters	zlib.*, bzip2.*, convert.iconv.*, string.rot13, string.toupper, string.tolower, string.strip_tags, convert.*, consumed, dechunk

--



PHP Credits

Configuration

apache2handler

Apache Version	Apache/2.4.6 (CentOS) PHP/5.4.16
Apache API Version	20120211
Server Administrator	root@localhost
Hostname:Port	127.0.1.1:0
User/Group	apache(48)/48
Max Requests	Per Child: 0 - Keep Alive: on - Max Per Connection: 100
Timeouts	Connection: 60 - Keep-Alive: 5
Virtual Server	No
Server Root	/etc/httpd
Loaded Modules	core mod_so http_core mod_access_compat mod_actions mod_alias mod_allowmethods mod_auth_basic mod_auth_digest mod_authn_anon mod_authn_core mod_authn_dbd mod_authn_dbm mod_authn_file mod_authn_socache mod_authz_core mod_authz_dbd mod_authz_dbm mod_authz_groupfile mod_authz_host mod_authz_owner mod_authz_user mod_autoindex mod_cache mod_cache_disk mod_data mod_dbd mod_deflate mod_dir mod_dumpio mod_echo mod_env mod_expires mod_ext_filter mod_filter mod_headers mod_include mod_info mod_log_config mod_logio mod_mime_magic mod_mime mod_negotiation mod_remoteip mod_reqtimeout mod_rewrite mod_setenvif mod_slotmem_plain mod_slotmem_shm mod_socache_dbm mod_socache_memcache mod_socache_shmcb mod_status mod_substitute mod_suexec mod_unique_id mod_unixd mod_userdir mod_version mod_vhost_alias mod_dav mod_dav_fs mod_dav_lock mod_lua prefork mod_proxy mod_lbmethod_bybusyness mod_lbmethod_byrequests mod_lbmethod_bytraffic mod_lbmethod_heartbeat mod_proxy_ajp mod_proxy_balancer mod_proxy_connect mod_proxy_express mod_proxy_fcgi mod_proxy_fdpass mod_proxy_ftp mod_proxy_http mod_proxy_scgi mod_systemd mod_cgi mod_php5

Directive	Local Value	Master Value
engine	1	1
last_modified	0	0
xbithack	0	0

Apache Environment

Variable	Value
UNIQUE_ID	V43g5gSn1DZHrobrHOTYNAAAAAQ
HTTP_HOST	cmglime.calmarketing.com
HTTP_CONNECTION	keep-alive
HTTP_UPGRADE_INSECURE_REQUESTS	1
HTTP_USER_AGENT	Mozilla/5.0 (Windows NT 10.0; WOW64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/51.0.2704.103 Safari/537.36
HTTP_ACCEPT	text/html,application/xhtml+xml,application/xml;q=0.9,image/webp,*/*;q=0.8
HTTP_REFERER	http://cmglime.calmarketing.com/limesurvey/index.php/admin/globalsettings

HTTP_ACCEPT_ENCODING	gzip, deflate
HTTP_ACCEPT_LANGUAGE	de,en-US;q=0.8,en;q=0.6,de-DE;q=0.4
HTTP_COOKIE	YII_CSRF_TOKEN=44aeaf5aa1641f340558f8bb1721e13cb1f43980; PHPSESSID=lgovsqbb3fl28p58c2f0dbf2s7
PATH	/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin
SERVER_SIGNATURE	<i>no value</i>
SERVER_SOFTWARE	Apache/2.4.6 (CentOS) PHP/5.4.16
SERVER_NAME	cmglime.calmarketing.com
SERVER_ADDR	104.131.146.73
SERVER_PORT	80
REMOTE_ADDR	77.22.136.188
DOCUMENT_ROOT	/var/www/html
REQUEST_SCHEME	http
CONTEXT_PREFIX	<i>no value</i>
CONTEXT_DOCUMENT_ROOT	/var/www/html
SERVER_ADMIN	root@localhost
SCRIPT_FILENAME	/var/www/html/limesurvey/index.php
REMOTE_PORT	64287
GATEWAY_INTERFACE	CGI/1.1
SERVER_PROTOCOL	HTTP/1.1
REQUEST_METHOD	GET
QUERY_STRING	sa=showphpinfo
REQUEST_URI	/limesurvey/index.php/admin/globalsettings?sa=showphpinfo
SCRIPT_NAME	/limesurvey/index.php
PATH_INFO	/admin/globalsettings
PATH_TRANSLATED	/var/www/html/admin/globalsettings

HTTP Headers Information

HTTP Request Headers	
HTTP Request	GET /limesurvey/index.php/admin/globalsettings?sa=showphpinfo HTTP/1.1
Host	cmglime.calmarketing.com
Connection	keep-alive
Upgrade-Insecure-Requests	1
User-Agent	Mozilla/5.0 (Windows NT 10.0; WOW64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/51.0.2704.103 Safari/537.36
Accept	text/html,application/xhtml+xml,application/xml;q=0.9,image/webp,*/*;q=0.8
Referer	http://cmglime.calmarketing.com/limesurvey/index.php/admin/globalsettings
Accept-Encoding	gzip, deflate
Accept-Language	de,en-US;q=0.8,en;q=0.6,de-DE;q=0.4
Cookie	YII_CSRF_TOKEN=44aeaf5aa1641f340558f8bb1721e13cb1f43980; PHPSESSID=lgovsqbb3fl28p58c2f0dbf2s7
HTTP Response Headers	
X-Powered-By	PHP/5.4.16
Expires	Thu, 19 Nov 1981 08:52:00 GMT
Cache-Control	no-store, no-cache, must-revalidate, post-check=0, pre-check=0
Pragma	no-cache

bz2

BZip2 Support	Enabled
---------------	---------

Stream Wrapper support	compress.bzip2://
Stream Filter support	bzip2.decompress, bzip2.compress
BZip2 Version	1.0.6, 6-Sept-2010

calendar

Calendar support	enabled
------------------	---------

Core

PHP Version	5.4.16
-------------	--------

Directive	Local Value	Master Value
allow_url_fopen	On	On
allow_url_include	Off	Off
always_populate_raw_post_data	Off	Off
arg_separator.input	&	&
arg_separator.output	&	&
asp_tags	Off	Off
auto_append_file	<i>no value</i>	<i>no value</i>
auto_globals_jit	On	On
auto_prepend_file	<i>no value</i>	<i>no value</i>
browscap	<i>no value</i>	<i>no value</i>
default_charset	<i>no value</i>	<i>no value</i>
default_mimetype	text/html	text/html
disable_classes	<i>no value</i>	<i>no value</i>
disable_functions	<i>no value</i>	<i>no value</i>
display_errors	Off	Off
display_startup_errors	Off	Off
doc_root	<i>no value</i>	<i>no value</i>
docref_ext	<i>no value</i>	<i>no value</i>
docref_root	<i>no value</i>	<i>no value</i>
enable_dl	Off	Off
enable_post_data_reading	On	On
error_append_string	<i>no value</i>	<i>no value</i>
error_log	<i>no value</i>	<i>no value</i>
error_prepend_string	<i>no value</i>	<i>no value</i>
error_reporting	0	22527
exit_on_timeout	Off	Off
expose_php	On	On
extension_dir	/usr/lib64/php/modules	/usr/lib64/php/modules
file_uploads	On	On
highlight.comment	#FF8000	#FF8000
highlight.default	#0000BB	#0000BB
highlight.html	#000000	#000000
highlight.keyword	#007700	#007700
highlight.string	#DD0000	#DD0000
html_errors	On	On
ignore_repeated_errors	Off	Off
ignore_repeated_source	Off	Off
ignore_user_abort	Off	Off

implicit_flush	Off	Off
include_path	./usr/share/pear:/usr/share/php	./usr/share/pear:/usr/share/php
log_errors	On	On
log_errors_max_len	1024	1024
mail.add_x_header	On	On
mail.force_extra_parameters	<i>no value</i>	<i>no value</i>
mail.log	<i>no value</i>	<i>no value</i>
max_execution_time	1200	30
max_file_uploads	20	20
max_input_nesting_level	64	64
max_input_time	60	60
max_input_vars	1000	1000
memory_limit	128M	128M
open_basedir	<i>no value</i>	<i>no value</i>
output_buffering	4096	4096
output_handler	<i>no value</i>	<i>no value</i>
post_max_size	8M	8M
precision	14	14
realpath_cache_size	16K	16K
realpath_cache_ttl	120	120
register_argc_argv	Off	Off
report_memleaks	On	On
report zend_debug	On	On
request_order	GP	GP
sendmail_from	<i>no value</i>	<i>no value</i>
sendmail_path	/usr/sbin/sendmail -t -i	/usr/sbin/sendmail -t -i
serialize_precision	17	17
short_open_tag	On	On
SMTP	localhost	localhost
smtp_port	25	25
sql.safe_mode	Off	Off
track_errors	Off	Off
unserialize_callback_func	<i>no value</i>	<i>no value</i>
upload_max_filesize	2000M	2000M
upload_tmp_dir	<i>no value</i>	<i>no value</i>
user_dir	<i>no value</i>	<i>no value</i>
user_ini.cache_ttl	300	300
user_ini.filename	.user.ini	.user.ini
variables_order	GPCS	GPCS
xmlrpc_error_number	0	0
xmlrpc_errors	Off	Off
zend.detect_unicode	On	On
zend.enable_gc	On	On
zend.multibyte	Off	Off
zend.script_encoding	<i>no value</i>	<i>no value</i>

ctype

ctype functions	enabled
-----------------	---------

curl

cURL support	enabled
cURL Information	7.29.0
Age	3
Features	
AsynchDNS	Yes
Debug	No
GSS-Negotiate	Yes
IDN	Yes
IPv6	Yes
Largefile	Yes
NTLM	Yes
SPNEGO	No
SSL	Yes
SSPI	No
krb4	No
libz	Yes
CharConv	No
Protocols	dict, file, ftp, ftps, gopher, http, https, imap, imaps, ldap, ldaps, pop3, pop3s, rtsp, scp, sftp, smtp, smtps, telnet, tftp
Host	x86_64-redhat-linux-gnu
SSL Version	NSS/3.15.4
ZLib Version	1.2.7
libSSH Version	libssh2/1.4.3

date

date/time support	enabled
"Olson" Timezone Database Version	0.system
Timezone Database	internal
Default timezone	America/Los_Angeles

Directive	Local Value	Master Value
date.default_latitude	31.7667	31.7667
date.default_longitude	35.2333	35.2333
date.sunrise_zenith	90.583333	90.583333
date.sunset_zenith	90.583333	90.583333
date.timezone	America/Los_Angeles	America/Los_Angeles

dom

DOM/XML	enabled
DOM/XML API Version	20031129
libxml Version	2.9.1
HTML Support	enabled
XPath Support	enabled
XPointer Support	enabled
Schema Support	enabled

RelaxNG Support	enabled
-----------------	---------

eAccelerator

eAccelerator support	enabled
Version	1.0-dev
Caching Enabled	true
Optimizer Enabled	true
Check mtime Enabled	true
Memory Size	16,777,152 Bytes
Memory Available	448 Bytes
Memory Allocated	16,776,704 Bytes
Cached Scripts	211
Removed Scripts	0

Directive	Local Value	Master Value
eaccelerator.allowed_admin_path	/var/www/html	/var/www/html
eaccelerator.cache_dir	/tmp/eaccelerator	/tmp/eaccelerator
eaccelerator.check_mtime	1	1
eaccelerator.debug	0	0
eaccelerator.enable	1	1
eaccelerator.filter	<i>no value</i>	<i>no value</i>
eaccelerator.log_file	<i>no value</i>	<i>no value</i>
eaccelerator.optimizer	1	1
eaccelerator.shm_only	0	0
eaccelerator.shm_prune_period	0	0
eaccelerator.shm_size	16	16
eaccelerator.shm_ttl	0	0

ereg

Regex Library	Bundled library enabled
---------------	-------------------------

exif

EXIF Support	enabled
EXIF Version	1.4 \$Id\$
Supported EXIF Version	0220
Supported filetypes	JPEG,TIFF

Directive	Local Value	Master Value
exif.decode_jis_intel	JIS	JIS
exif.decode_jis_motorola	JIS	JIS
exif.decode_unicode_intel	UCS-2LE	UCS-2LE
exif.decode_unicode_motorola	UCS-2BE	UCS-2BE
exif.encode_jis	<i>no value</i>	<i>no value</i>
exif.encode_unicode	ISO-8859-15	ISO-8859-15

fileinfo

fileinfo support	enabled
version	1.0.5

filter

Input Validation and Filtering	enabled
Revision	\$Id: 2aa8dd57d9c0c655cd45e6e5872bb95fa5ad76cf \$

Directive	Local Value	Master Value
filter.default	unsafe_raw	unsafe_raw
filter.default_flags	no value	no value

ftp

FTP support	enabled
-------------	---------

gd

GD Support	enabled
GD Version	bundled (2.1.0 compatible)
FreeType Support	enabled
FreeType Linkage	with freetype
FreeType Version	2.4.11
T1Lib Support	enabled
GIF Read Support	enabled
GIF Create Support	enabled
JPEG Support	enabled
libJPEG Version	6b
PNG Support	enabled
libPNG Version	1.5.13
WBMP Support	enabled
XPM Support	enabled
libXpm Version	30411
XBM Support	enabled

Directive	Local Value	Master Value
gd.jpeg_ignore_warning	0	0

gettext

GetText Support	enabled
-----------------	---------

gmp

gmp support	enabled
GMP version	5.1.1

hash

hash support	enabled
Hashing Engines	md2 md4 md5 sha1 sha224 sha256 sha384 sha512 ripemd128 ripemd160 ripemd256 ripemd320 whirlpool tiger128,3 tiger160,3 tiger192,3 tiger128,4 tiger160,4 tiger192,4 snfru snfru256 gost adler32 crc32 crc32b fnv132 fnv164 joaat haval128,3 haval160,3 haval192,3 haval224,3 haval256,3 haval128,4 haval160,4 haval192,4 haval224,4 haval256,4 haval128,5 haval160,5 haval192,5 haval224,5 haval256,5

iconv

iconv support	enabled
iconv implementation	glibc
iconv library version	2.17

Directive	Local Value	Master Value
iconv.input_encoding	ISO-8859-1	ISO-8859-1
iconv.internal_encoding	ISO-8859-1	ISO-8859-1
iconv.output_encoding	ISO-8859-1	ISO-8859-1

json

json support	enabled
json version	1.2.1

ldap

LDAP Support	enabled
RCS Version	\$Id\$
Total Links	0/unlimited
API Version	3001
Vendor Name	OpenLDAP
Vendor Version	20439
SASL Support	Enabled

Directive	Local Value	Master Value
ldap.max_links	Unlimited	Unlimited

libxml

libXML support	active
libXML Compiled Version	2.9.1
libXML Loaded Version	20901
libXML streams	enabled

mbstring

Multibyte Support	enabled
Multibyte string engine	libmbfl
HTTP input encoding translation	disabled
libmbfl version	1.3.2

mbstring extension makes use of "streamable kanji code filter and converter", which is distributed under the GNU Lesser General Public License version 2.1.

Multibyte (japanese) regex support	enabled
Multibyte regex (oniguruma) backtrack check	On
Multibyte regex (oniguruma) version	4.7.1

Directive	Local Value	Master Value
mbstring.detect_order	<i>no value</i>	<i>no value</i>
mbstring.encoding_translation	Off	Off
mbstring.func_overload	0	0
mbstring.http_input	pass	pass
mbstring.http_output	pass	pass
mbstring.http_output_conv_mimetypes	^(text/application/xhtml\+xml)	^(text/application/xhtml\+xml)
mbstring.internal_encoding	<i>no value</i>	<i>no value</i>
mbstring.language	neutral	neutral
mbstring.strict_detection	Off	Off
mbstring.substitute_character	<i>no value</i>	<i>no value</i>

mhash

MHASH support	Enabled
MHASH API Version	Emulated Support

mysql

MySQL Support	enabled
Active Persistent Links	0
Active Links	0
Client API version	5.5.40-MariaDB
MYSQL_MODULE_TYPE	external
MYSQL_SOCKET	/var/lib/mysql/mysql.sock
MYSQL_INCLUDE	-I/usr/include/mysql
MYSQL_LIBS	-L/usr/lib64/mysql -lmysqlclient

Directive	Local Value	Master Value
mysql.allow_local_infile	On	On
mysql.allow_persistent	On	On
mysql.connect_timeout	60	60
mysql.default_host	<i>no value</i>	<i>no value</i>
mysql.default_password	<i>no value</i>	<i>no value</i>
mysql.default_port	<i>no value</i>	<i>no value</i>
mysql.default_socket	/var/lib/mysql/mysql.sock	/var/lib/mysql/mysql.sock
mysql.default_user	<i>no value</i>	<i>no value</i>
mysql.max_links	Unlimited	Unlimited
mysql.max_persistent	Unlimited	Unlimited
mysql.trace_mode	Off	Off

mysqli

Mysqli Support	enabled
----------------	---------

Client API library version	5.5.40-MariaDB
Active Persistent Links	0
Inactive Persistent Links	0
Active Links	0
Client API header version	5.5.41-MariaDB
MYSQLI_SOCKET	/var/lib/mysql/mysql.sock

Directive	Local Value	Master Value
mysqli.allow_local_infile	On	On
mysqli.allow_persistent	On	On
mysqli.default_host	<i>no value</i>	<i>no value</i>
mysqli.default_port	3306	3306
mysqli.default_pw	<i>no value</i>	<i>no value</i>
mysqli.default_socket	<i>no value</i>	<i>no value</i>
mysqli.default_user	<i>no value</i>	<i>no value</i>
mysqli.max_links	Unlimited	Unlimited
mysqli.max_persistent	Unlimited	Unlimited
mysqli.reconnect	Off	Off

openssl

OpenSSL support	enabled
OpenSSL Library Version	OpenSSL 1.0.1e-fips 11 Feb 2013
OpenSSL Header Version	OpenSSL 1.0.1e-fips 11 Feb 2013

pcre

PCRE (Perl Compatible Regular Expressions) Support	enabled
PCRE Library Version	8.32 2012-11-30

Directive	Local Value	Master Value
pcre.backtrack_limit	1000000	1000000
pcre.recursion_limit	100000	100000

PDO

PDO support	enabled
PDO drivers	mysql, pgsql, sqlite

pdo_mysql

PDO Driver for MySQL	enabled
Client API version	5.5.40-MariaDB

Directive	Local Value	Master Value
pdo_mysql.default_socket	/var/lib/mysql/mysql.sock	/var/lib/mysql/mysql.sock

pdo_pgsql

--	--

PDO Driver for PostgreSQL	enabled
PostgreSQL(libpq) Version	9.2.10
Module version	1.0.2
Revision	\$Id\$

pdo_sqlite

PDO Driver for SQLite 3.x	enabled
SQLite Library	3.7.17

pgsql

PostgreSQL Support	enabled
PostgreSQL(libpq) Version	9.2.10
PostgreSQL(libpq)	PostgreSQL 9.2.10 on x86_64-redhat-linux-gnu, compiled by gcc (GCC) 4.8.3 20140911 (Red Hat 4.8.3-9), 64-bit
Multibyte character support	enabled
SSL support	enabled
Active Persistent Links	0
Active Links	0

Directive	Local Value	Master Value
pgsql.allow_persistent	On	On
pgsql.auto_reset_persistent	Off	Off
pgsql.ignore_notice	Off	Off
pgsql.log_notice	Off	Off
pgsql.max_links	Unlimited	Unlimited
pgsql.max_persistent	Unlimited	Unlimited

Phar

Phar: PHP Archive support	enabled
Phar EXT version	2.0.1
Phar API version	1.1.1
SVN revision	\$Id: c5042cc34acebcc0926625b57dff03deebbe6472 \$
Phar-based phar archives	enabled
Tar-based phar archives	enabled
ZIP-based phar archives	enabled
gzip compression	enabled
bzip2 compression	enabled
Native OpenSSL support	enabled

Phar based on pear/PHP_Archive, original concept by Davey Shafik.
 Phar fully realized by Gregory Beaver and Marcus Boerger.
 Portions of tar implementation Copyright (c) 2003-2009 Tim Kientzle.

Directive	Local Value	Master Value
phar.cache_list	<i>no value</i>	<i>no value</i>
phar.readonly	On	On

phar.require_hash	On	On
-------------------	----	----

Reflection

Reflection	enabled
Version	\$Id: 6c4d8062369898a397e4b128348042f5c01b4427 \$

session

Session Support	enabled
Registered save handlers	files user
Registered serializer handlers	php php_binary wddx

Directive	Local Value	Master Value
session.auto_start	Off	Off
session.cache_expire	180	180
session.cache_limiter	nocache	nocache
session.cookie_domain	<i>no value</i>	<i>no value</i>
session.cookie_httponly	On	Off
session.cookie_lifetime	0	0
session.cookie_path	/	/
session.cookie_secure	Off	Off
session.entropy_file	/dev/urandom	/dev/urandom
session.entropy_length	32	32
session.gc_divisor	1000	1000
session.gc_maxlifetime	1440	1440
session.gc_probability	1	1
session.hash_bits_per_character	5	5
session.hash_function	0	0
session.name	PHPSESSID	PHPSESSID
session.referer_check	<i>no value</i>	<i>no value</i>
session.save_handler	files	files
session.save_path	/var/lib/php/session	<i>no value</i>
session.serialize_handler	php	php
session.upload_progress.cleanup	On	On
session.upload_progress.enabled	On	On
session.upload_progress.freq	1%	1%
session.upload_progress.min_freq	1	1
session.upload_progress.name	PHP_SESSION_UPLOAD_PROGRESS	PHP_SESSION_UPLOAD_PROGRESS
session.upload_progress.prefix	upload_progress_	upload_progress_
session.use_cookies	On	On
session.use_only_cookies	Off	Off
session.use_trans_sid	0	0

shmop

shmop support	enabled
---------------	---------

SimpleXML

Simplexml support	enabled
Revision	\$Id: 692516840b2d7d6e7aedb0bedded1f53b764a99f \$
Schema support	enabled

sockets

Sockets Support	enabled
------------------------	---------

SPL

SPL support	enabled
Interfaces	Countable, OuterIterator, RecursiveIterator, SeekableIterator, SplObserver, SplSubject
Classes	AppendIterator, ArrayIterator, ArrayObject, BadFunctionCallException, BadMethodCallException, CachingIterator, CallbackFilterIterator, DirectoryIterator, DomainException, EmptyIterator, FilesystemIterator, FilterIterator, GlobIterator, InfiniteIterator, InvalidArgumentException, IteratorIterator, LengthException, LimitIterator, LogicException, MultipleIterator, NoRewindIterator, OutOfBoundsException, OutOfRangeException, OverflowException, ParentIterator, RangeException, RecursiveArrayIterator, RecursiveCachingIterator, RecursiveCallbackFilterIterator, RecursiveDirectoryIterator, RecursiveFilterIterator, RecursiveIteratorIterator, RecursiveRegexIterator, RecursiveTreeIterator, RegexIterator, RuntimeException, SplDoublyLinkedList, SplFileInfo, SplFileObject, SplFixedArray, SplHeap, SplMinHeap, SplMaxHeap, SplObjectStorage, SplPriorityQueue, SplQueue, SplStack, SplTempFileObject, UnderflowException, UnexpectedValueException

sqlite3

SQLite3 support	enabled
SQLite3 module version	0.7
SQLite Library	3.7.17

Directive	Local Value	Master Value
sqlite3.extension_dir	<i>no value</i>	<i>no value</i>

standard

Dynamic Library Support	enabled
Path to sendmail	/usr/sbin/sendmail -t -i

Directive	Local Value	Master Value
assert.active	1	1
assert.bail	0	0
assert.callback	<i>no value</i>	<i>no value</i>
assert.quiet_eval	0	0
assert.warning	1	1
auto_detect_line_endings	0	0
default_socket_timeout	60	60
from	<i>no value</i>	<i>no value</i>
url_rewriter.tags	a=href,area=href,frame=src,input=src,form=fakeentry	a=href,area=href,frame=src,input=src,form=fakeentry
user_agent	<i>no value</i>	<i>no value</i>

tokenizer

Tokenizer Support	enabled
-------------------	---------

wddx

WDDX Support	enabled
WDDX Session Serializer	enabled

xml

XML Support	active
XML Namespace Support	active
libxml2 Version	2.9.1

xmlreader

XMLReader	enabled
-----------	---------

xmlwriter

XMLWriter	enabled
-----------	---------

xsl

XSL	enabled
libxslt Version	1.1.28
libxslt compiled against libxml Version	2.9.1
EXSLT	enabled
libexslt Version	1.1.28

zip

Zip	enabled
Extension Version	\$Id: 0c033d4e4613d577409950ed7bf8da4b68286d15 \$
Zip version	1.11.0
Compiled against libzip version	0.10.1

zlib

ZLib Support	enabled
Stream Wrapper	compress.zlib://
Stream Filter	zlib.inflate, zlib.deflate
Compiled Version	1.2.7
Linked Version	1.2.7

Directive	Local Value	Master Value
zlib.output_compression	Off	Off
zlib.output_compression_level	-1	-1
zlib.output_handler	<i>no value</i>	<i>no value</i>

Additional Modules

Module Name

Environment

Variable	Value
PATH	/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin
LANG	C
NOTIFY_SOCKET	@/org/freedesktop/systemd1/notify

PHP Variables

Variable	Value
_REQUEST["sa"]	showphpinfo
_GET["sa"]	showphpinfo
_COOKIE["YII_CSRF_TOKEN"]	44aeaf5aa1641f340558f8bb1721e13cb1f43980
_COOKIE["PHPSESSID"]	lgovsqbb3fl28p58c2f0dbf2s7
_SERVER["UNIQUE_ID"]	V43g5gSn1DZHrobrHOTYNAAAAAQ
_SERVER["HTTP_HOST"]	cmglime.calmarketing.com
_SERVER["HTTP_CONNECTION"]	keep-alive
_SERVER["HTTP_UPGRADE_INSECURE_REQUESTS"]	1
_SERVER["HTTP_USER_AGENT"]	Mozilla/5.0 (Windows NT 10.0; WOW64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/51.0.2704.103 Safari/537.36
_SERVER["HTTP_ACCEPT"]	text/html,application/xhtml+xml,application/xml;q=0.9,image/webp,*/*;q=0.8
_SERVER["HTTP_REFERER"]	http://cmglime.calmarketing.com/limesurvey/index.php/admin/globalsettings
_SERVER["HTTP_ACCEPT_ENCODING"]	gzip, deflate
_SERVER["HTTP_ACCEPT_LANGUAGE"]	de,en-US;q=0.8,en;q=0.6,de-DE;q=0.4
_SERVER["HTTP_COOKIE"]	YII_CSRF_TOKEN=44aeaf5aa1641f340558f8bb1721e13cb1f43980; PHPSESSID=lgovsqbb3fl28p58c2f0dbf2s7
_SERVER["PATH"]	/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin
_SERVER["SERVER_SIGNATURE"]	<i>no value</i>
_SERVER["SERVER_SOFTWARE"]	Apache/2.4.6 (CentOS) PHP/5.4.16
_SERVER["SERVER_NAME"]	cmglime.calmarketing.com
_SERVER["SERVER_ADDR"]	104.131.146.73
_SERVER["SERVER_PORT"]	80
_SERVER["REMOTE_ADDR"]	77.22.136.188
_SERVER["DOCUMENT_ROOT"]	/var/www/html
_SERVER["REQUEST_SCHEME"]	http
_SERVER["CONTEXT_PREFIX"]	<i>no value</i>
_SERVER["CONTEXT_DOCUMENT_ROOT"]	/var/www/html
_SERVER["SERVER_ADMIN"]	root@localhost
_SERVER["SCRIPT_FILENAME"]	/var/www/html/limesurvey/index.php
_SERVER["REMOTE_PORT"]	64287
_SERVER["GATEWAY_INTERFACE"]	CGI/1.1
_SERVER["SERVER_PROTOCOL"]	HTTP/1.1
_SERVER["REQUEST_METHOD"]	GET
_SERVER["QUERY_STRING"]	sa=showphpinfo
_SERVER["REQUEST_URI"]	/limesurvey/index.php/admin/globalsettings?sa=showphpinfo
_SERVER["SCRIPT_NAME"]	/limesurvey/index.php

_SERVER["PATH_INFO"]	/admin/globalsettings
_SERVER["PATH_TRANSLATED"]	/var/www/html/admin/globalsettings
_SERVER["PHP_SELF"]	/limesurvey/index.php/admin/globalsettings
_SERVER["REQUEST_TIME_FLOAT"]	1468915942.237
_SERVER["REQUEST_TIME"]	1468915942

PHP License

This program is free software; you can redistribute it and/or modify it under the terms of the PHP License as published by the PHP Group and included in the distribution in the file: LICENSE

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

If you did not receive a copy of the PHP license, or have any questions about PHP licensing, please contact license@php.net.